


LAPPSET®


SPORT

ASENNUSOHJE
MONTERINGSANSVISNING
INSTALLATION INSTRUCTION
AUFBAUANLEITUNG
NOTICE D'INSTALLATION



DATE: 21.9.2015



081330M











— Area of Movement 268 m²
— Impact Area 145.5 m²
Max Falling Height = 2960 mm











① 706025	PCS	② 705348	PCS
	1		1
		120x120x300	
③ 705349	PCS	④ 980114	PCS
	2		4
120x120x400		Ø4x20	
⑤ 980123	PCS	⑥ 905104	PCS
	28		12
Ø7x60		M10	
⑦ 905761	PCS	⑧ 905830	PCS
	3		3
120x120x700		123x123x40	
⑨ 905838	PCS	⑩ 980104	PCS
	2		3
L=1060		Ø5x90	
⑪ 909256	PCS		PCS
	28		
Ø16/8.4			
	PCS		PCS
	PCS		PCS




Area of Movement 16.2 m2
Training Space 10.5m2
Max Falling Height 435 mm



ALL AREAS AND FALLING HEIGHT
ACCORDING TO EN 16630


1: 40







① 706028	PCS	② 705041	PCS
	1		2
		19x451x1240	
③ 705027	PCS	④ 705335	PCS
	2		2
120x120x1520		120x120x1000	
⑤ 980114	PCS	⑥ 905103	PCS
	4		6
Ø4x20		PT-28/32-H	
⑦ 905104	PCS	⑧ 905830	PCS
	16		2
M10		123x123x40	
⑨ 906009	PCS	⑩ 906021	PCS
	2		1
Ø42,4x1252		Ø42,4x1252	
⑪ 905761	PCS	⑫ 906583	PCS
	4		2
120x120x700		126x181x14x3	
		M12x140	
⑭ 909633	PCS	⑮ 909852	PCS
	16		16
M8		M8x30	
⑰ 980123	PCS	⑯ 980152	PCS
	40		16
Ø7x60		Ø24/8.4x2	
		⑳ 980154	PCS
			6
		Ø24/13	
		㉑ 909256	PCS
			40
		Ø16/8.4	








① 706031	PCS	② 705328	PCS
	1		2
		120x120x570	
③ 705329	PCS	④ 705330	PCS
	2		2
120x120x720		120x120x870	
⑤ 980114	PCS	⑥ 905838	PCS
	4		3
Ø4x20		L=1060	
⑦ 905104	PCS	⑧ 905761	PCS
	24		6
M10		120x120x700	
⑨ 905830	PCS	⑩ 980104	PCS
	6		6
123x123x40		Ø5x90	
⑪ 980123	PCS	⑫ 909256	PCS
	48		48
Ø7x60		Ø16/8.4	
	PCS		PCS
	PCS		PCS








	①	706024	PCS	②	705018	PCS
			1			4
					120x120x1170	
	③	980114	PCS	④	980123	PCS
			4			40
		Ø4x20			Ø7x60	
	⑤	905761	PCS	⑥	905830	PCS
			4			4
		120x120x700			123x123x40	
	⑦	905838	PCS	⑧	905934	PCS
			2			1
		L=1060			L=485	
	⑨	980104	PCS	⑩	905104	PCS
			4			16
		Ø5x90			M10	
	⑪	909256	PCS			PCS
			40			
		Ø16/8.4				
			PCS			PCS
			PCS			PCS



















① 705094	PCS	② 705096	PCS
	1		1
VATSA 700		VATSA 570	
③ 705098	PCS	④ 906147	PCS
	1		1
16x471x1000		2x120x536	
⑤ 906148	PCS	⑥ 980102	PCS
	2		8
2x1000		Ø5x40	
⑦ 980106	PCS	⑧ 980128	PCS
	6		16
Ø5x40		Ø7x40	
⑨ 906140	PCS	⑩ 906152	PCS
	1		1
565x480		565x720	
⑪ 706023	PCS	⑫ 980114	PCS
	1		4
		Ø4x20	
⑬ 902272	PCS	⑭ 909519	PCS
	4		4
90x90x450		50x380x380	
⑮ 909638	PCS	⑯ 909639	PCS
	56		28
Ø20/10,5		M10x25	
		⑰ 906630	PCS
			6
		8x60	











① 706035 PCS 1 	② 909500 PCS 4  M10x20		⑬ 980104 PCS 2  Ø5x90	⑭ 980123 PCS 16  Ø7x60	
③ 980114 PCS 4  Ø4x20	④ 904450 PCS 8  M16x170		⑮ 909256 PCS 16  Ø16/8.4	⑯ 906642 PCS 10  Ø50/45x20	
⑤ 905104 PCS 8  M10	⑥ 905780 PCS 2  120x120x150		⑰ 980129 PCS 12  Ø5x35	⑱ 705018 PCS 2  120x120x1170	
⑦ 906770 PCS 4  Ø74/48x2	⑧ 905830 PCS 2  123x123x40		⑲ 906734 PCS 2  1226X386X60	⑳ 906736 PCS 2  30x30x3x920	
⑨ 906637 PCS 1  L=1720	⑩ 906596 PCS 2  Ø450 15kg		㉑ 907560 PCS 2  Ø90/46-33		
⑪ 906600 PCS 2  Ø450 10kg	⑫ 705542 PCS 2 				
⑬ 908976 PCS 2  Ø98/45x44	⑭ 909628 PCS 16  M10x100				
	PCS				


















Area of Movement 14.3 m2
Training Space 3.8 m2
Max Falling Height 0 mm


ALL AREAS AND FALLING HEIGHT
ACCORDING TO EN 16630

1: 40







① 706021	PCS	② 909500	PCS	⑬ 980123	PCS	⑭ 909256	PCS
	1		4		24		24
		M10x20		Ø7x60		Ø16/8.4	
③ 980114	PCS	④ 904450	PCS	⑮ 906642	PCS	⑯ 980129	PCS
	4		8		6		20
Ø4x20		M16x170		Ø50/45x20		Ø5x35	
⑤ 905104	PCS	⑥ 905780	PCS	⑰ 705322	PCS	⑱ 905817	PCS
	8		2		2		2
M10		120x120x150		120x120x2500		2626X386X60	
⑦ 906770	PCS	⑧ 905830	PCS	⑲ 906577	PCS	⑳ 907560	PCS
	4		2		2		2
Ø74/48x2		123x123x40		30x30x3x2250		Ø90/46-33	
⑨ 906637	PCS	⑩ 906596	PCS				
	1		2				
L=1590		Ø450 15kg					
⑪ 906605	PCS	⑫ 908976	PCS				
	1		2				
L=1060		Ø98/45x44					
⑬ 705542	PCS	⑭ 980104	PCS				
	2		2				
		Ø5x90					
⑮ 909628	PCS		PCS				
	16						
M10x100							





1: 40


1: 40














Area of Movement 14.3 m²
Training Space 3.8 m²
Max Falling Height 0 mm


1: 40


ALL AREAS AND FALLING HEIGHT
ACCORDING TO EN 16630






① 706021	PCS	② 909500	PCS	⑬ 980123	PCS	⑮ 909256	PCS
	1		4		24		24
		M10x20		Ø7x60		Ø16/8.4	
③ 980114	PCS	④ 904450	PCS	⑰ 906642	PCS	⑯ 980129	PCS
	4		8		4		20
Ø4x20		M16x170		Ø50/45x20		Ø5x35	
⑤ 905104	PCS	⑥ 905780	PCS	⑳ 705322	PCS	㉑ 905817	PCS
	8		2		2		2
M10		120x120x150		120x120x2500		2626X386X60	
⑦ 906770	PCS	⑧ 905830	PCS	㉓ 906577	PCS	㉔ 907560	PCS
	4		2		2		2
Ø74/48x2		123x123x40		30x30x3x2250		Ø90/46-33	
⑨ 906637	PCS	⑩ 906600	PCS				
	1		2				
L=1590		Ø450 10kg					
⑪ 906605	PCS	⑫ 908976	PCS				
	1		2				
L=1060		Ø98/45x44					
⑬ 705542	PCS	⑮ 980104	PCS				
	2		2				
		Ø5x90					
⑮ 909628	PCS		PCS				
	16						
M10x100							















Area of Movement 14.3 m²
Training Space 3.8 m²
Max Falling Height 0 mm

ALL AREAS AND FALLING HEIGHT
ACCORDING TO EN 16630








① 706020	PCS	② 909500	PCS	⑬ 980123	PCS	⑭ 909256	PCS
	1		4		24		24
		M10x20		Ø7x60		Ø16/8.4	
③ 980114	PCS	④ 904450	PCS	⑮ 906642	PCS	⑯ 980129	PCS
	4		8		2		20
Ø4x20		M16x170		Ø50/45x20		Ø5x35	
⑤ 905104	PCS	⑥ 905780	PCS	⑰ 705322	PCS	⑱ 905817	PCS
	8		2		2		2
M10		120x120x150		120x120x2500		2626X386X60	
⑦ 906770	PCS	⑧ 905830	PCS	⑲ 906577	PCS	⑳ 907560	PCS
	4		2		2		2
Ø74/48x2		123x123x40		30x30x3x2250		Ø90/46-33	
⑨ 906637	PCS	⑩ 906601	PCS				
	1		2				
L=1590		Ø450 5kg					
⑪ 906605	PCS	⑫ 908976	PCS				
	1		2				
L=1060		Ø98/45x44					
⑬ 705542	PCS	⑭ 980104	PCS				
	2		2				
		Ø5x90					
⑮ 909628	PCS		PCS				
	16						
M10x100							







① 706032	PCS	② 705158	PCS
	1		1
		Ø37x16000	
③ 704946	PCS	④ 980114	PCS
	4		4
120x120x1350		Ø4x20	
⑤ 905761	PCS	⑥ 905830	PCS
	4		4
120x120x700		123x123x40	
⑦ 980104	PCS	⑧ 980123	PCS
	4		24
Ø5x90		Ø7x60	
⑨ 905753	PCS	⑩ 905104	PCS
	2		16
283x1477		M10	
⑪ 980100	PCS	⑫ 909256	PCS
	16		24
Ø5x60		Ø16/8.4	
	PCS		PCS
	PCS		PCS






① 706029	PCS	② 705041	PCS
	1		1
		19x451x1240	
③ 705048	PCS	④ 705063	PCS
	2		3
120x120		19x951x1240	
⑤ 705350	PCS	⑥ 902234	PCS
	2		2
120x120x3990		M12	
⑦ 980114	PCS	⑧ 905051	PCS
	8		4
Ø4x20		Ø24/8.4	
⑨ 905083	PCS	⑩ 905104	PCS
	2		16
Ø32		M10	
⑪ 704881	PCS	⑫ 905112	PCS
	1		2
118x78		Ø22	
⑬ 905761	PCS	⑭ 905830	PCS
	4		2
120x120x700		123x123x40	
⑮ 906021	PCS	⑯ 907538	PCS
	2		1
Ø42,4x1252		Ø42,4x1252	




⑰ 906117 PCS  130x44x52	⑱ 909102 PCS  M12x200	⑲ 909203 PCS  M8x75	⑳ 909233 PCS  8x100	㉑ 909253 PCS  Ø32/13.5/2	㉒ 909256 PCS  Ø16/8.4
⑳ 909633 PCS  M8	㉔ 909852 PCS  M8x30	㉕ 980104 PCS  Ø5x90	㉖ 980123 PCS  Ø7x60	㉗ 980150 PCS  M8	㉘ 980151 PCS  Ø16/8.4
㉙ 980152 PCS  Ø24/8.4x2	㉚ 906751 PCS 	㉛ 906009 PCS  Ø42,4x1252			



1: 49




1: 53




Area of Movement 15 m2
Training Space 3.1 m2
Max Falling Height 0 mm

1: 55






ALL AREAS AND FALLING HEIGHT
ACCORDING TO EN 16630







① 706026	PCS	② 705039	PCS
	1		2
		Ø16x974	
③ 705040	PCS	④ 705037	PCS
	2		2
Ø16x764		120x120x2590	
⑤ 705335	PCS	⑥ 705347	PCS
	2		2
120x120x1000		120x120x1990	
⑦ 902195	PCS	⑧ 902232	PCS
	8		4
150x50x50		M10x55	
⑨ 902233	PCS	⑩ 706087	PCS
	4		1
M10x30			
⑪ 980100	PCS	⑫ 905103	PCS
	2		6
Ø5x60		PT-28/32-H	
⑬ 905104	PCS	⑭ 905761	PCS
	24		6
M10		120x120x700	
⑮ 905830	PCS	⑯ 905838	PCS
	4		6
123x123x40		L=1060	






17 906006 PCS 8  Ø64/34,5x59	18 906583 PCS 2  126x181x14x3	19 909246 PCS 6  M12x140	20 980114 PCS 16  Ø4x20	21 900240 PCS 16  Ø8x70	22 980104 PCS 4  Ø5x90
23 980123 PCS 72  Ø7x60	24 980154 PCS 6  Ø24/13	25 980161 PCS 8  M10	26 905800 PCS 1  2260x600x1270	27 909256 PCS 72  Ø16/8.4	28 706263 PCS 1 
					29 702339 PCS 1  118x78







				<table><tr><td>① 706027</td><td>PCS</td><td>② 705041</td><td>PCS</td></tr><tr><td></td><td>1</td><td></td><td>5</td></tr><tr><td></td><td></td><td>19x451x1240</td><td></td></tr><tr><td>③ 705044</td><td>PCS</td><td>④ 705050</td><td>PCS</td></tr><tr><td></td><td>1</td><td></td><td>2</td></tr><tr><td></td><td></td><td>120x120</td><td></td></tr><tr><td>⑤ 705059</td><td>PCS</td><td>⑥ 980114</td><td>PCS</td></tr><tr><td></td><td>1</td><td></td><td>8</td></tr><tr><td>WALL CLIMBER DEEP</td><td></td><td>Ø4x20</td><td></td></tr><tr><td>⑦ 905083</td><td>PCS</td><td>⑧ 905112</td><td>PCS</td></tr><tr><td></td><td>8</td><td></td><td>8</td></tr><tr><td>Ø32</td><td></td><td>Ø22</td><td></td></tr><tr><td>⑨ 905761</td><td>PCS</td><td>⑩ 909519</td><td>PCS</td></tr><tr><td></td><td>2</td><td></td><td>3</td></tr><tr><td>120x120x700</td><td></td><td>50x380x380</td><td></td></tr></table>				① 706027	PCS	② 705041	PCS		1		5			19x451x1240		③ 705044	PCS	④ 705050	PCS		1		2			120x120		⑤ 705059	PCS	⑥ 980114	PCS		1		8	WALL CLIMBER DEEP		Ø4x20		⑦ 905083	PCS	⑧ 905112	PCS		8		8	Ø32		Ø22		⑨ 905761	PCS	⑩ 909519	PCS		2		3	120x120x700		50x380x380	
① 706027	PCS	② 705041	PCS																																																																
	1		5																																																																
		19x451x1240																																																																	
③ 705044	PCS	④ 705050	PCS																																																																
	1		2																																																																
		120x120																																																																	
⑤ 705059	PCS	⑥ 980114	PCS																																																																
	1		8																																																																
WALL CLIMBER DEEP		Ø4x20																																																																	
⑦ 905083	PCS	⑧ 905112	PCS																																																																
	8		8																																																																
Ø32		Ø22																																																																	
⑨ 905761	PCS	⑩ 909519	PCS																																																																
	2		3																																																																
120x120x700		50x380x380																																																																	
				<table><tr><td>⑪ 904064</td><td>PCS</td><td>⑫ 906021</td><td>PCS</td><td>⑬ 906071</td><td>PCS</td><td>⑭ 909639</td><td>PCS</td></tr><tr><td></td><td>2</td><td></td><td>4</td><td></td><td>1</td><td></td><td>9</td></tr><tr><td>Ø60x3456</td><td></td><td>Ø42,4x1252</td><td></td><td>Ø42,4x1252</td><td></td><td>M10x25</td><td></td></tr></table>				⑪ 904064	PCS	⑫ 906021	PCS	⑬ 906071	PCS	⑭ 909639	PCS		2		4		1		9	Ø60x3456		Ø42,4x1252		Ø42,4x1252		M10x25																																					
⑪ 904064	PCS	⑫ 906021	PCS	⑬ 906071	PCS	⑭ 909639	PCS																																																												
	2		4		1		9																																																												
Ø60x3456		Ø42,4x1252		Ø42,4x1252		M10x25																																																													
				<table><tr><td>⑮ 905830</td><td>PCS</td><td>⑯ 909097</td><td>PCS</td><td>⑰ 905104</td><td>PCS</td><td>⑱ 902273</td><td>PCS</td><td>⑲ 980104</td><td>PCS</td></tr><tr><td></td><td>2</td><td></td><td>3</td><td></td><td>8</td><td></td><td>24</td><td></td><td>2</td></tr><tr><td>123x123x40</td><td></td><td>M8x60</td><td></td><td>M10</td><td></td><td></td><td></td><td>Ø5x90</td><td></td></tr></table>				⑮ 905830	PCS	⑯ 909097	PCS	⑰ 905104	PCS	⑱ 902273	PCS	⑲ 980104	PCS		2		3		8		24		2	123x123x40		M8x60		M10				Ø5x90																															
⑮ 905830	PCS	⑯ 909097	PCS	⑰ 905104	PCS	⑱ 902273	PCS	⑲ 980104	PCS																																																										
	2		3		8		24		2																																																										
123x123x40		M8x60		M10				Ø5x90																																																											
				<table><tr><td>⑳ 909267</td><td>PCS</td><td>㉑ 980123</td><td>PCS</td><td>㉒ 980150</td><td>PCS</td><td>㉓ 980151</td><td>PCS</td><td>㉔ 906009</td><td>PCS</td><td>㉕ 902195</td><td>PCS</td></tr><tr><td></td><td>1</td><td></td><td>64</td><td></td><td>4</td><td></td><td>8</td><td></td><td>1</td><td></td><td>24</td></tr><tr><td>M8x70</td><td></td><td>Ø7x60</td><td></td><td>M8</td><td></td><td>Ø16/8.4</td><td>22</td><td>Ø42,4x1252</td><td></td><td>150x50x50</td><td></td></tr></table>				⑳ 909267	PCS	㉑ 980123	PCS	㉒ 980150	PCS	㉓ 980151	PCS	㉔ 906009	PCS	㉕ 902195	PCS		1		64		4		8		1		24	M8x70		Ø7x60		M8		Ø16/8.4	22	Ø42,4x1252		150x50x50																									
⑳ 909267	PCS	㉑ 980123	PCS	㉒ 980150	PCS	㉓ 980151	PCS	㉔ 906009	PCS	㉕ 902195	PCS																																																								
	1		64		4		8		1		24																																																								
M8x70		Ø7x60		M8		Ø16/8.4	22	Ø42,4x1252		150x50x50																																																									

(26) 902232  M10x55	PCS 12	(27) 902233  M10x30	PCS 12	(28) 909256  Ø16/8.4x1.6	PCS 104	(29) 909637  M10	PCS 9	(30) 909633  M8	PCS 40	(31) 909852  M8x30	PCS 40
(32) 909638  Ø20/10.5	PCS 18	(33) 980161  M10	PCS 24	(34) 702339  118x78	PCS 1						



1:25







Area of Movement 25.6 m2
Impact Area 25.6 m2
Training Space 4.7 m2
Max Falling Height 2960 mm


ALL AREAS AND FALLING HEIGHT
ACCORDING TO EN 16630


1: 55










① 705024	PCS	② 705345	PCS
	1		2
15x640x560		120x120x1520	
③ 909633	PCS	④ 905104	PCS
	8		8
M8		M10	
⑤ 905761	PCS	⑥ 905830	PCS
	2		2
120x120x700		123x123x40	
⑦ 905936	PCS	⑧ 909256	PCS
	2		28
L=652		Ø16/8.4x1.6	
⑨ 909855	PCS	⑩ 980104	PCS
	8		2
M8x35		Ø5x90	
⑪ 980123	PCS		PCS
	20		
Ø7x60			
⑫ 901899 Optio	PCS		PCS
	8		
M8x45			
	PCS		PCS










BASE
DET 22-24
OR 25-27


①	706017	PCS	②	980114	PCS
	1			4	
			Ø4x20		
③	705428	PCS	④	902272	PCS
	1			4	
			90x90x450		
⑤	909519	PCS	⑥	909639	PCS
	4			8	
50x380x380			M10x25		
⑦	909638	PCS	⑧	909637	PCS
	16			8	
Ø20/10.5			M10		
	PCS			PCS	
	PCS			PCS	
	PCS			PCS	
	PCS			PCS	





BASE
DET 22-24
OR 25-27


①	706018	PCS	②	980114	PCS
	1			4	
			Ø4x20		
③	705411	PCS	④	902272	PCS
	1			4	
			90x90x450		
⑤	909519	PCS	⑥	909639	PCS
	4			8	
50x380x380			M10x25		
⑦	909638	PCS	⑧	909637	PCS
	16			8	
Ø20/10.5			M10		
	PCS			PCS	
	PCS			PCS	
	PCS			PCS	




Area of Movement 12.3 m2
Training Space 5.3 m2
Max Falling Height 450 mm


1:40



ALL AREAS AND FALLING HEIGHT
ACCORDING TO EN 16630






BASE
DET 22-24
OR 25-27

① 706019	PCS	② 980114	PCS
	1		4
		Ø4x20	
③ 705412	PCS	④ 902272	PCS
	1		4
		90x90x450	
⑤ 909519	PCS	⑥ 909639	PCS
	4		8
50x380x380		M10x25	
⑦ 909638	PCS	⑧ 909637	PCS
	16		8
Ø20/10.5		M10	
	PCS		PCS
	PCS		PCS
	PCS		PCS






		① 706030	PCS	② 705231	PCS
			1		1
				120x120x2290	
		③ 705335	PCS	④ 705388	PCS
			2		1
		120x120x1000		120x120x2090	
		⑤ 705402	PCS	⑥ 705405	PCS
			1		1
		120x120x2290		120x120x500	
		⑦ 705406	PCS	⑧ 902195	PCS
			1		4
		126x181x18		150x50x50	
		⑨ 902232	PCS	⑩ 902233	PCS
			2		2
		M10x55		M10x30	
		⑪ 706088	PCS	⑫ 905103	PCS
			1		7
				PT-28/32-H	
		⑬ 905104	PCS	⑭ 905761	PCS
			24		6
		M10		120x120x700	
		⑮ 905830	PCS	⑯ 905838	PCS
			3		2
		123x123x40		L=1060	
		⑰ 906583	PCS	⑱ 909246	PCS
			2		7
		126x181x14x3		M12x140	
		⑲ 980114	PCS	⑳ 980100	PCS
			8		3
		Ø4x20		Ø5x60	
		㉑ 980104	PCS	㉒ 980123	PCS
			3		40
		Ø5x90		Ø7x60	
		㉓ 980154	PCS	㉔ 980161	PCS
			7		4
		Ø24/13		M10	
		㉕ 705040	PCS	㉖ 906006	PCS
			2		4
		Ø16x764		Ø64/34,5x59	
		㉗ 909256	PCS		40
				Ø16/8.4	










Area of Movement 21.5 m²
Impact Area 21.5 m²
Training Space 3.6 m²
Max Falling Height 2320 mm


ALL AREAS AND FALLING
HEIGHT ACCORDING TO
EN 16630

1:45




		
h < 600 Without movement and therefore without Impact Area	Totally hard surfaces.	E.g. concrete or asphalt 
h < 600 With movement e.g. rocking	Materials with very limited impact attenuating properties.	E.g. wood 
h < 1000	Materials with significant impact attenuating properties.	fine gravel 0–8 mm  grass  unsorted sand 
h < 3000	Loose fill material E.g. sand/gravel 0,25...8 mm D60/D10<3,0 Woodchips 5...30 mm bark 20...80 mm	 $\underline{S}$ 30 cm $\underline{h}$ < 2,0 m 40 cm < 3,0 m
	Syntethic granulates $\underline{S}$ 40 mm ~> 1,2...1,3 m 50 mm ~> 1,5...1,7 m 60 mm ~> 1,8...2,0 m 70 mm ~> 2,1...2,5 m Note. For accurate values, see manufacturer's instructions.	


REMOVE SAFETY SURFACE/SAND/GRAVEL
TO CHECK FOUNDATION




REMOVE SAFETY SURFACE/SAND/GRAVEL
TO CHECK FOUNDATION




DET 1




DET 2




DET 3




DET 4




DET 5




DET 6




DET 7




DET 8




DET 9




DET 10




DET 11




DET 12




DET 13




DET 14




DET 15




DET 16









DET 17









DET 18




DET 19 M10x40 (901487) Ø20/10.5x2 (901302) M10 (909637)	DET 20 M10x35 (902252) 19x21x25 (903193) Ø20/10.5x2 (901302) M10 (909637)
DET 21 Muoviosan sijoitus (903193) Position of the plastic piece	DET 22 705433 705434 Ø8x70 (900240)
DET 23 Ø32 (905083) Ø16/8.4 (980151) Ø22 (905112) M8x75 (909203) M8	DET 24 705433 705434 Ø8x70 (900240)







DET 37




DET 38




DET 39




DET 40




DET 41




DET 42




DET 43




DET 44




DET 45




DET 46




DET 47




DET 48




DET 49




DET 50




DET 51




DET 52




DET 53




DET 54



DET 55



DET 56



DET 57


DET 58

DET 59


DET 60

DET 1


Ø16 ↓ > 130




DET 2




DET 3



DET 4




DET 5




DET 6


DET 7




DET 8




DET 9




DET 10




DET 11




DET 12




DET 13




DET 14



DET 15









DET 16



DET 17

DET 18



DET 25

705412

905743

M10

DET 26

Esireikä / Pre-drill hole.

Ø10 ↓ 90

35 Nm

M10x100

Betoni / Concrete K30.

Safety surface

>100

DET 27

905743

M10x100
(909628)

DET 28

705096

906140

M10

DET 29

Esireikä / Pre-drill hole.

Ø10 ↓ 90

35 Nm

M10x100


Betoni / Concrete K30.

Safety surface


>100

DET 30


DET 31




DET 32




DET 33




DET 34




DET 35




DET 36




DET 37




DET 38




DET 39









DET 40




DET 41




DET 42




DET 49




DET 50




DET 51




DET 52



DET 53




DET 54




DET 55


STEELNET Ø6 #150
(1400x2100)
Concrete
1500X2200X200 K30



DET 56



DET 57




DET 58

Esireikä
Pre-drill hole.

Ø10 ↓ 90

M10x100
35 Nm



DET 59

