


LAPPSET®
























SPORT

ASENNUSOHJE
MONTERINGSANSVISNING
INSTALLATION INSTRUCTION
AUFBAUANLEITUNG
NOTICE D'INSTALLATION





DATE: 11.9.2015

081510M





	PCS	705018	PCS	705034	PCS	705101	PCS	705329	PCS	705345	PCS
			7		1		2		2		7
		120x120x1170		120x120x1990				120x120x720		120x120x1520	
705369	PCS	705392	PCS	705439	PCS	705505	PCS	705520	PCS	705586	PCS
	1		1		2		4		1		2
		2360x200x120						Ø911		Ø400	
706040	PCS	706041	PCS	706043	PCS	706044	PCS	706045	PCS	706046	PCS
	1		1		1		1		1		1
706047	PCS	706048	PCS	706049	PCS	901487	PCS		PCS	903191	PCS
	1		1		1		6				4
						M10x40					
903192	PCS	905104	PCS	905761	PCS	905830	PCS	905838	PCS	906316	PCS
	1		76		19		17		2		1
20x200x400		M10		120x120x700		123x123x40		1060 Lime		20x200x300	
906566	PCS	906576	PCS	906630	PCS	906632	PCS		PCS	980104	PCS
	1		1		4		1				17
				8x60						Ø5x90	
980114	PCS	980123	PCS	980131	PCS	909256	PCS	705024	PCS	909633	PCS
	36		168		7		180		1		8
Ø4x20		Ø7x60		Ø6x60		Ø16/8.4x1.6		15x640x560		M8	



DATE: 15.9.2017



905936	PCS	909855	PCS	Acryl + sticker	PCS		PCS	901899 Optio	PCS		PCS
	2		7						8		
L 652		M8x35		640x560				M8x45			
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS



Grid size = 500 mm




Area of Movement 80.1 m²
Max Falling Height 420mm











① 705024	PCS	② 705345	PCS
	1		2
15x640x560		120x120x1520	
③ 909633	PCS	④ 905104	PCS
	8		8
M8		M10	
⑤ 905761	PCS	⑥ 905830	PCS
	2		2
120x120x700		123x123x40	
⑦ 905936	PCS	⑧ 909256	PCS
	2		32
L=652		Ø16/8.4x1.6	
⑨ 909855	PCS	⑩ 980104	PCS
	8		2
M8x35		Ø5x90	
⑪ 980123	PCS		PCS
	20		
Ø7x60			
⑫ 901899 Optio	PCS		PCS
	8		
M8x45			
Not Included	PCS		PCS
640x560			

1: 25






① 706048	PCS	② 705345	PCS
	1		1
		120x120x1520	
③ 705439	PCS	④ 980114	PCS
	2		4
		Ø4x20	
⑤ 905104	PCS	⑥ 905761	PCS
	4		1
M10		120x120x700	
⑦ 905830	PCS	⑧ 980104	PCS
	1		1
123x123x40		Ø5x90	
⑨ 980123	PCS	⑩ 909256	PCS
	20		20
Ø7x60		Ø16/8.4	
	PCS		PCS
	PCS		PCS
	PCS		PCS





1: 25




Area of Movement 8.8 m²
Training Space 4.6 m²
Max Falling Height 0 mm


1: 40






① 706046 	PCS 1	② 705018  120x120x1170	PCS 3
③ 705505 	PCS 4	④ 980114  Ø4x20	PCS 4
⑤ 905104  M10	PCS 12	⑥ 905761  120x120x700	PCS 3
⑦ 905830  123x123x40	PCS 3	⑧ 980104  Ø5x90	PCS 3
⑨ 980123  Ø7x60	PCS 44	⑩ 909256  Ø16/8.4	PCS 44
	PCS		PCS
	PCS		PCS
	PCS		PCS

1:25




Area of Movement 15.1 m²
Training Space 3.1 m²
Max Falling Height 0 mm

1:40






905830 906576 PARTS DET 16 PARTS DET 2 705018 905761 BASE DET 1-4 OR 7-9	① 706043 PCS 1	② 705018 PCS 2 120x120x1170
	③ 980123 PCS 16 Ø7x60	④ 980114 PCS 4 Ø4x20
	⑤ 905104 PCS 8 M10	⑥ 905761 PCS 2 120x120x700
	⑦ 905830 PCS 2 123x123x40	⑧ 906576 PCS 1 1960x130x60
	⑨ 980104 PCS 2 Ø5x90	⑩ 909256 PCS 16 Ø16/8.4
	PCS	PCS
	PCS	PCS
	PCS	PCS




Area of Movement 14.8 m²
Impact Area 14.8 m²
Training Space 7.4 m²
Max Falling Height 1200 mm

1: 40







① 706045	PCS	② 705345	PCS
	1		2
		120x120x1520	
③ 705101	PCS	④ 980114	PCS
	1		4
		Ø4x20	
⑤ 905104	PCS	⑥ 905830	PCS
	8		2
M10		123x123x40	
⑦ 905838	PCS	⑧ 980104	PCS
	1		2
1060 Lime		Ø5x90	
⑨ 980123	PCS	⑩ 905761	PCS
	16		2
Ø7x60		120x120x700	
⑪ 705432	PCS	⑫ 901487	PCS
	1		3
Ø400		M10x40	
⑬ 909256	PCS	⑭ 906316	PCS
	16		1
Ø16/8.4		20x200x300	
⑮ 903191	PCS		
	2		
M10x35 (902252)			
Ø20/10.5x2 (901302)			
M10 (909637)			
19x21x25 (903193)			




Area of Movement 13.6 m²
Training Space 3.1 m²
Max Falling Height 320 mm






① 706041	PCS	② 705590	PCS
	1		1
		120x200x2294	
③ 980114	PCS	④ 905104	PCS
	4		8
Ø4x20		M10	
⑤ 905761	PCS	⑥ 980123	PCS
	2		8
120x120x700		Ø7x60	
⑦ 909256	PCS		PCS
	8		
Ø16/8.4			
	PCS		PCS
	PCS		PCS

Boom options:




705590-602 Dark Brown
705590-603 Light Brown
705590-604 Gray




Area of Movement 14.6 m2
Training Space 7.7 m2
Max Falling Height 275 mm

1: 40




DATE: 29.6.2015

Syväperustus



Pintaperustus



Syväperustus


1. Kaivetaan 600 mm syvä kaivanto pinnan korosta. Jotkin välineet tarvitsevat syvemmän kaivannon (katso tuotteiden asennusohjeet).
Huom! Kantava ja suora perustusten pohja.
2. Asennetaan välineet.
3. Valetaan betonit. Jotkin välineet voivat vaatia isomman valun, katso yksittäisten tuotteiden asennusohjeet.
4. Täytetään 0-32 oikeaan korkoon.
5. Tiivistetään täyttö.
6. Täytetään kivituhkalla (0-8) n.30mm kerros jonka jälkeen tasoitetaan ja tiivistetään hyvin.(+/-10mm/4m oikolauta)
7. Tämän jälkeen asennetaan nurmi (katso asennusohje).

Pintaperustus


1. Kaivetaan 220 mm syvä kaivanto pinnan korosta.
Huom! Kantava ja suora perustusten pohja.
2. Valetaan betonilaatta (min. 150 mm paksu). Koko riippuu kentän koosta (S,M,L).
3. Asennetaan välineet.
4. Asennetaan joustopalat ohjeen mukaisesti (katso asennusohje).
5. Tämän jälkeen asennetaan nurmi (katso asennusohje).

DATE: 29.6.2015

Deep mounting



Surface mounting



Deep mounting

1. Start by digging 600 mm deep excavation. Some equipment may need more depth, see assembly instructions for individual equipment.
2. Assemble the equipment according to assembly instructions.
3. Make concrete blocks. Some equipment may need bigger block, see assembly instructions.
4. Fill with 0-32 grit to correct level.
5. Compact the layer.
6. Spread 30 mm thick layer using grit 0-8 gravel. Compact and level it thoroughly. (+/-10mm/4m)
7. Assemble the safety base according to assembly instructions.
8. Assemble the turf according to assembly instructions.


NOTE: Also the soil below the starting level (-600) needs to be solid and compact.

Surface mounting

1. Start by digging 220 mm deep excavation.
2. Make concrete plate, see illustration (min. 150 mm thick). Size depends on the size of the Parkour field (S,M,L).
3. Assemble the equipment according to assembly instructions.
4. Assemble the safety base according to assembly instructions.
5. Assemble the turf according to assembly instructions.




905830 705369 906566 PARTS DET 18 PARTS DET 14 705018 PARTS DET 13 905761 BASE DET 1-4 OR 7-9	① 706040	PCS	② 705018	PCS
		1		2
			120x120x1170	
	③ 705369	PCS	④ 980114	PCS
		1		4
			Ø4x20	
	⑤ 905104	PCS	⑥ 905761	PCS
		8		2
	M10		120x120x700	
	⑦ 905830	PCS	⑧ 906566	PCS
		2		1
	123x123x40		1960x235x60	
	⑨ 980104	PCS	⑩ 980123	PCS
		2		16
	Ø5x90		Ø7x60	
	⑪ 909256	PCS		PCS
		16		
	Ø16/8.4			
		PCS		PCS
		PCS		PCS




Area of Movement 15 m²
Training Space 10 m²
Max Falling Height 0 mm

1: 40







① 706044	PCS	② 705329	PCS
	1		2
		120x120x720	
③ 705101	PCS	④ 980114	PCS
	1		4
		Ø4x20	
⑤ 905104	PCS	⑥ 905830	PCS
	8		2
M10		123x123x40	
⑦ 905838	PCS	⑧ 980104	PCS
	1		2
1060 Lime		Ø5x90	
⑨ 980123	PCS	⑩ 905761	PCS
	16		2
Ø7x60		120x120x700	
⑪ 705432	PCS	⑫ 901487	PCS
	1		3
Ø400		M10x40	
⑬ 909256	PCS	⑭ 903192	PCS
	16		1
Ø16/8.4		20x200x400	
⑮ 903191			PCS
			2
M10x35 (902252)			
Ø20/10.5x2 (901302)			PCS
M10 (909637)			
19x21x25 (903193)			




Area of Movement 13.6 m²
Training Space 3.1 m²
Max Falling Height 420 mm








① 706049	PCS	② 705345	PCS
	1		2
		120x120x1520	
③ 705520	PCS	④ 980114	PCS
	1		4
		Ø4x20	
⑤ 905104	PCS	⑥ 905761	PCS
	8		2
M10		120x120x700	
⑦ 905830	PCS	⑧ 906630	PCS
	2		4
123x123x40		Ø8x60	
⑨ 980104	PCS	⑩ 980123	PCS
	2		8
Ø5x90		Ø7x60	
⑪ 909256	PCS		PCS
	8		
Ø16/8.4			









Note:
Water hole.

Huom!
Vesireikä






① 706047	PCS	② 906632	PCS
	1		1
③ 705347	PCS	④ 980123	PCS
	1		4
⑤ 980114	PCS	⑥ 905104	PCS
	4		4
⑦ 905761	PCS	⑧ 905830	PCS
	1		1
120x120x700		123x123x40	
⑨ 980104	PCS	⑩ 980131	PCS
	1		7
Ø5x90		Ø6x60	
⑪ 909256	PCS		PCS
	4		
Ø16/8.4			
	PCS		PCS
	PCS		PCS











1: 25




Area of Movement 7.9 m2
Training Space 3.1 m2
Max Falling Height 0 mm

1: 40




		
h < 600 Without movement and therefore without Impact Area	Totally hard surfaces.	E.g. concrete or asphalt 
h < 600 With movement e.g. rocking	Materials with very limited impact attenuating properties.	E.g. wood 
h < 1000	Materials with significant impact attenuating properties.	fine gravel 0–8 mm  grass  unsorted sand 
h < 3000	Loose fill material E.g. sand/gravel 0,25...8 mm D60/D10<3,0 Woodchips 5...30 mm bark 20...80 mm	 $\underline{S}$ 30 cm $\underline{h}$ < 2,0 m 40 cm < 3,0 m
	Syntethic granulates $\underline{S}$ 40 mm ~> 1,2...1,3 m 50 mm ~> 1,5...1,7 m 60 mm ~> 1,8...2,0 m 70 mm ~> 2,1...2,5 m Note. For accurate values, see manufacturer's instructions.	


REMOVE SAFETY SURFACE/SAND/GRAVEL
TO CHECK FOUNDATION




REMOVE SAFETY SURFACE/SAND/GRAVEL
TO CHECK FOUNDATION




DET 1




DET 2




DET 3




DET 4




DET 5




DET 6




DET 7




DET 8




DET 9




DET 10




DET 11




DET 12




DET 13




DET 14




DET 15




DET 16



DET 17




DET 18




DET 19 M10x40 (901487) Ø20/10.5x2 (901302) M10 (909637)	DET 20 M10x35 (902252) 19x21x25 (903193) Ø20/10.5x2 (901302) M10 (909637)
DET 21 Muoviosan sijoitus (903193) Position of the plastic piece	DET 22 705433 705434 Ø8x70 (900240)
DET 23 Ø32 (905083) Ø16/8.4 (980151) Ø22 (905112) M8x75 (909203) M8	DET 24


DET 25




DET 26




DET 27




DET 28









DET 29




DET 30







DET 37




DET 38




DET 39




DET 40




DET 41




DET 42




DET 43




DET 44




DET 45




DET 46




DET 47




DET 48




DET 49




DET 50




DET 51




DET 52




DET 53




DET 54



DET 55



DET 56



DET 57


DET 58

DET 59


DET 60

DET 1


Ø16 ↓ > 130




DET 2




DET 3



DET 4




DET 5




DET 6


DET 7




DET 8




DET 9




DET 10




DET 11




DET 12




DET 13




DET 14



DET 15









DET 16



DET 17

DET 18



DET 25

705412

905743

M10

DET 26

Esireikä / Pre-drill hole.

Ø10 ↓ 90

35 Nm

M10x100

Betoni / Concrete K30.

Safety surface

>100

DET 27

905743

M10x100
(909628)

DET 28

705096

906140

M10

DET 29

Esireikä / Pre-drill hole.

Ø10 ↓ 90

35 Nm

M10x100


Betoni / Concrete K30.

Safety surface


>100

DET 30


DET 31




DET 32




DET 33




DET 34




DET 35




DET 36




DET 37




DET 38




DET 39









DET 40




DET 41




DET 42




DET 49




DET 50




DET 51




DET 52



DET 53




DET 54




DET 55


STEELNET Ø6 #150
(1400x2100)
Concrete
1500X2200X200 K30



DET 56



DET 57




DET 58

Esireikä
Pre-drill hole.

Ø10 ↓ 90

M10x100
35 Nm



Betoni / Concrete

Safety surface

DET 59

