


LAPPSET®

SPORT




















ASENNUSOHJE
MONTERINGSANSVISNING
INSTALLATION INSTRUCTION
AUFBAUANLEITUNG
NOTICE D'INSTALLATION
















DATE: 11.9.2015

081520M





DATE: 15.9.2017

	PCS	705018	PCS	705034	PCS	705101	PCS	705329	PCS	705330	PCS
			13		1		2		2		2
		120x120x1170		120x120x1990				120x120x720		120x120x870	
705345	PCS	705369	PCS	705392	PCS	705397	PCS	705412	PCS	705439	PCS
	10		2		1		1		1		2
120x120x1520				2360x200x120				L SLOW			
705505	PCS	705513	PCS	705520	PCS	705554	PCS	705555	PCS	705568	PCS
	4		2		1		1		1		1
				Ø911							
705586	PCS	706039	PCS	706040	PCS	706041	PCS	706042	PCS	706043	PCS
	2		1		1		1		1		1
Ø400											
706044	PCS	706045	PCS	706046	PCS	706047	PCS	706048	PCS	706049	PCS
	1		1		1		1		1		1
706050	PCS	706051	PCS	706052	PCS	706053	PCS	706054	PCS	901487	PCS
	1		1		1		1		1		6
902272	PCS		PCS	903191	PCS	903192	PCS	905104	PCS	905761	PCS
	4				4		1		128		32
90x90x450						20x200x400		M10		120x120x700	



905830  123x123x40	PCS 28	905838  1060 Lime	PCS 4	906316  20x200x300	PCS 1	906566  50x380x380	PCS 1	906569  M10	PCS 1	906576  Ø20/10.5	PCS 1
906630  8x60	PCS 8	906632 	PCS 1			909519 	PCS 4	909637 	PCS 8	909638 	PCS 16
909639  M10x25	PCS 8	980104  Ø5x90	PCS 28	980114  Ø4x20	PCS 64	980123  Ø7x60	PCS 266	980131  Ø6x60	PCS 7	909256  Ø16/8.4x1.6	PCS 316
705024  15x640x560	PCS 1	909633  M8	PCS 8	905936  L 652	PCS 2	909855  M8x35	PCS 8		PCS	901899 Optio  M8x45	PCS 8
Acryl + sticker  640x560	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS



Grid size = 500 mm






Area of Movement 128.8 m²

Max Falling Height 610 mm












① 706053	PCS	② 705345	PCS
	1		2
		120x120x1520	
③ 980123	PCS	④ 980114	PCS
	14		4
Ø7x60		Ø4x20	
⑤ 905104	PCS	⑥ 905761	PCS
	8		2
M10		120x120x700	
⑦ 905830	PCS	⑧ 705397	PCS
	2		1
123x123x40			
⑨ 980104	PCS	⑩ 909256	PCS
	2		8
Ø5x90		Ø16/8.4	
	PCS		PCS
	PCS		PCS
	PCS		PCS



Area of Movement 11.2 m²
Training Space 3.1 m²
Max Falling Height 0 mm


1: 40






① 706047	PCS	② 906632	PCS
	1		1
③ 705347	PCS	④ 980123	PCS
	1		4
		Ø7x60	
⑤ 980114	PCS	⑥ 905104	PCS
	4		4
Ø4x20		M10	
⑦ 905761	PCS	⑧ 905830	PCS
	1		1
120x120x700		123x123x40	
⑨ 980104	PCS	⑩ 980131	PCS
	1		7
Ø5x90		Ø6x60	
⑪ 909256	PCS		PCS
	4		
Ø16/8.4			
	PCS		PCS
	PCS		PCS

1:25




Area of Movement 7.9 m²
Training Space 3.1 m²
Max Falling Height 0 mm

1:40







905830 906576 PARTS DET 16 PARTS DET 2 705018 905761 BASE DET 1-4 OR 7-9	① 706043 PCS 1	② 705018 PCS 2 120x120x1170
	③ 980123 PCS 16 Ø7x60	④ 980114 PCS 4 Ø4x20
	⑤ 905104 PCS 8 M10	⑥ 905761 PCS 2 120x120x700
	⑦ 905830 PCS 2 123x123x40	⑧ 906576 PCS 1 1960x130x60
	⑨ 980104 PCS 2 Ø5x90	⑩ 909256 PCS 16 Ø16/8.4
	PCS	PCS
	PCS	PCS
	PCS	PCS



Area of Movement 14.8 m²
Impact Area 14.8 m²
Training Space 7.4 m²
Max Falling Height 1200 mm


1: 40







① 706042	PCS	② 705566	PCS
	1		1
		120x140x2294	
③ 980114	PCS	④ 905104	PCS
	4		8
Ø4x20		M10	
⑤ 905761	PCS	⑥ 980123	PCS
	2		8
120x120x700		Ø7x60	
⑦ 909256	PCS		PCS
	8		
Ø16/8.4			
	PCS		PCS
	PCS		PCS


Boom options:



120x140x2294


705566-602 Dark Brown
705566-603 Light Brown
705566-604 Gray






① 706041	PCS	② 705590	PCS
	1		1
		120x200x2294	
③ 980114	PCS	④ 905104	PCS
	4		8
Ø4x20		M10	
⑤ 905761	PCS	⑥ 980123	PCS
	2		8
120x120x700		Ø7x60	
⑦ 909256	PCS		PCS
	8		
Ø16/8.4			
	PCS		PCS
	PCS		PCS

Boom options:




705590-602 Dark Brown
705590-603 Light Brown
705590-604 Gray



Area of Movement 14.6 m²
Training Space 7.7 m²
Max Falling Height 275 mm

1: 40





905830

905838

PARTS
DET 16

PARTS
DET 1

705432

903192

705101

905761

BASE
DET 1-4
OR 7-9

BASE
DET 19-21

PARTS
DET 19-21

705329

905104

980114

905838

980104

980123

905761

901487

909256

903192


902252

901302


909637


903193






①	706044	PCS	②	705329	PCS
		1			2
				120x120x720	
③	705101	PCS	④	980114	PCS
		1			4
				Ø4x20	
⑤	905104	PCS	⑥	905838	PCS
		8			2
	M10			123x123x40	
⑦	905838	PCS	⑧	980104	PCS
		1			2
	1060 Lime			Ø5x90	
⑨	980123	PCS	⑩	905761	PCS
		16			2
	Ø7x60			120x120x700	
⑪	705432	PCS	⑫	901487	PCS
		1			3
	Ø400			M10x40	
⑬	909256	PCS	⑭	903192	PCS
		16			1
	Ø16/8.4			20x200x400	
⑮	903191	PCS			2
				M10x35 (902252)	
				Ø20/10.5x2 (901302)	
				M10 (909637)	
				19x21x25 (903193)	



Area of Movement 13.6 m²
Training Space 3.1 m²
Max Falling Height 420 mm






① 706054	PCS	② 705345	PCS
	1		1
		120x120x1520	
③ 705513	PCS	④ 980114	PCS
	2		4
		Ø4x20	
⑤ 905104	PCS	⑥ 905761	PCS
	4		1
M10		120x120x700	
⑦ 905830	PCS	⑧ 906630	PCS
	1		4
123x123x40		Ø8x60	
⑨ 980104	PCS	⑩ 980123	PCS
	1		4
Ø5x90		Ø7x60	
⑪ 909256	PCS		PCS
	4		
Ø16/8.4			
	PCS		PCS
	PCS		PCS





1: 25



1: 40


Area of Movement 9.5 m²
Training Space 4.6 m²
Max Falling Height 0 mm






① 705024	PCS	② 705345	PCS
	1		2
15x640x560		120x120x1520	
③ 909633	PCS	④ 905104	PCS
	8		8
M8		M10	
⑤ 905761	PCS	⑥ 905830	PCS
	2		2
120x120x700		123x123x40	
⑦ 905936	PCS	⑧ 909256	PCS
	2		32
L=652		Ø16/8.4x1.6	
⑨ 909855	PCS	⑩ 980104	PCS
	8		2
M8x35		Ø5x90	
⑪ 980123	PCS		PCS
	20		
Ø7x60			
⑫ 901899 Optio	PCS		PCS
	8		
M8x45			
Not Included	PCS		PCS
640x560			


1: 25






① 706048	PCS	② 705345	PCS
	1		1
		120x120x1520	
③ 705439	PCS	④ 980114	PCS
	2		4
		Ø4x20	
⑤ 905104	PCS	⑥ 905761	PCS
	4		1
M10		120x120x700	
⑦ 905830	PCS	⑧ 980104	PCS
	1		1
123x123x40		Ø5x90	
⑨ 980123	PCS	⑩ 909256	PCS
	20		20
Ø7x60		Ø16/8.4	
	PCS		PCS
	PCS		PCS
	PCS		PCS

1:25




Area of Movement 8.8 m²
Training Space 4.6 m²
Max Falling Height 0 mm

1:40







① 706045	PCS	② 705345	PCS
	1		2
		120x120x1520	
③ 705101	PCS	④ 980114	PCS
	1		4
		Ø4x20	
⑤ 905104	PCS	⑥ 905830	PCS
	8		2
M10		123x123x40	
⑦ 905838	PCS	⑧ 980104	PCS
	1		2
1060 Lime		Ø5x90	
⑨ 980123	PCS	⑩ 905761	PCS
	16		2
Ø7x60		120x120x700	
⑪ 705432	PCS	⑫ 901487	PCS
	1		3
Ø400		M10x40	
⑬ 909256	PCS	⑭ 906316	PCS
	16		1
Ø16/8.4		20x200x300	
		⑮ 903191	PCS
			2
		M10x35 (902252)	
		Ø20/10.5x2 (901302)	
		M10 (909637)	
		19x21x25 (903193)	




Area of Movement 13.6 m²
Training Space 3.1 m²
Max Falling Height 320 mm

1: 40







① 706051	PCS	② 705018	PCS
	1		1
		120x120x1170	
③ 705330	PCS	④ 705555	PCS
	1		1
120x120x870			
⑤ 980114	PCS	⑥ 905104	PCS
	4		8
Ø4x20		M10	
⑦ 905761	PCS	⑧ 905830	PCS
	2		2
120x120x700		123x123x40	
⑨ 980104	PCS	⑩ 980123	PCS
	2		16
Ø5x90		Ø7x60	
⑪ 909256	PCS		PCS
	16		
Ø16/8.4			
	PCS		PCS
	PCS		PCS



Area of Movement 14.1 m²
Training Space 3.1 m²
Max Falling Height 0 mm

1:40






① 706050	PCS	② 705018	PCS
	1		1
		120x120x1170	
③ 705330	PCS	④ 705554	PCS
	1		1
120x120x870			
⑤ 980114	PCS	⑥ 905104	PCS
	4		8
Ø4x20		M10	
⑦ 905761	PCS	⑧ 905830	PCS
	2		2
120x120x700		123x123x40	
⑨ 980104	PCS	⑩ 980123	PCS
	2		16
Ø5x90		Ø7x60	
⑪ 909256	PCS		PCS
	16		
Ø16/8.4			
	PCS		PCS
	PCS		PCS




1: 25



1: 40

Area of Movement 14.1 m²
Training Space 3.1 m²
Max Falling Height 0 mm





905830

PARTS
DET 16

PARTS
DET 35

705520

705345

Note:
Huom!



BASE
DET 1-4
or 7-9


905761

① 706049	PCS	② 705345	PCS
	1		2
		120x120x1520	
③ 705520	PCS	④ 980114	PCS
	1		4
		Ø4x20	
⑤ 905104	PCS	⑥ 905761	PCS
	8		2
M10		120x120x700	
⑦ 905830	PCS	⑧ 906630	PCS
	2		4
123x123x40		Ø8x60	
⑨ 980104	PCS	⑩ 980123	PCS
	2		8
Ø5x90		Ø7x60	
⑪ 909256	PCS		PCS
	8		
Ø16/8.4			



Note:
Water hole.


Huom!
Vesireikä








① 706052	PCS	② 705018	PCS
	1		2
		120x120x1170	
③ 705412	PCS	④ 902272	PCS
	1		4
		90x90x450	
⑤ 980114	PCS	⑥ 905104	PCS
	4		8
Ø4x20		M10	
⑦ 905761	PCS	⑧ 905830	PCS
	2		2
120x120x700		123x123x40	
⑨ 905838	PCS	⑩ 909519	PCS
	2		4
1060 Lime		50x380x380	
⑪ 909637	PCS	⑫ 909638	PCS
	8		16
M10		Ø20/10.5	
⑬ 909639	PCS	⑭ 980104	PCS
	8		2
M10x25		Ø5x90	
⑮ 980123	PCS	⑯ 909256	PCS
	24		24
Ø7x60		Ø16/8.4	






① 706046	PCS	② 705018	PCS
	1		3
		120x120x1170	
③ 705505	PCS	④ 980114	PCS
	4		4
		Ø4x20	
⑤ 905104	PCS	⑥ 905761	PCS
	12		3
M10		120x120x700	
⑦ 905830	PCS	⑧ 980104	PCS
	3		3
123x123x40		Ø5x90	
⑨ 980123	PCS	⑩ 909256	PCS
	44		44
Ø7x60		Ø16/8.4	
	PCS		PCS
	PCS		PCS
	PCS		PCS

1:25




Area of Movement 15.1 m²
Training Space 3.1 m²
Max Falling Height 0 mm

1:40




DATE: 29.6.2015

Syväperustus



Pintaperustus



Syväperustus


1. Kaivetaan 600 mm syvä kaivanto pinnan korosta. Jotkin välineet tarvitsevat syvemmän kaivannon (katso tuotteiden asennusohjeet).
Huom! Kantava ja suora perustusten pohja.
2. Asennetaan välineet.
3. Valetaan betonit. Jotkin välineet voivat vaatia isomman valun, katso yksittäisten tuotteiden asennusohjeet.
4. Täytetään 0-32 oikeaan korkoon.
5. Tiivistetään täyttö.
6. Täytetään kivituhkalla (0-8) n.30mm kerros jonka jälkeen tasoitetaan ja tiivistetään hyvin.(+/-10mm/4m oikolauta)
7. Tämän jälkeen asennetaan nurmi (katso asennusohje).

Pintaperustus


1. Kaivetaan 220 mm syvä kaivanto pinnan korosta.
Huom! Kantava ja suora perustusten pohja.
2. Valetaan betonilaatta (min. 150 mm paksu). Koko riippuu kentän koosta (S,M,L).
3. Asennetaan välineet.
4. Asennetaan joustopalat ohjeen mukaisesti (katso asennusohje).
5. Tämän jälkeen asennetaan nurmi (katso asennusohje).

DATE: 29.6.2015

Deep mounting



Surface mounting



Deep mounting

1. Start by digging 600 mm deep excavation. Some equipment may need more depth, see assembly instructions for individual equipment.
2. Assemble the equipment according to assembly instructions.
3. Make concrete blocks. Some equipment may need bigger block, see assembly instructions.
4. Fill with 0-32 grit to correct level.
5. Compact the layer.
6. Spread 30 mm thick layer using grit 0-8 gravel. Compact and level it thoroughly. (+/-10mm/4m)
7. Assemble the safety base according to assembly instructions.
8. Assemble the turf according to assembly instructions.


NOTE: Also the soil below the starting level (-600) needs to be solid and compact.

Surface mounting

1. Start by digging 220 mm deep excavation.
2. Make concrete plate, see illustration (min. 150 mm thick). Size depends on the size of the Parkour field (S,M,L).
3. Assemble the equipment according to assembly instructions.
4. Assemble the safety base according to assembly instructions.
5. Assemble the turf according to assembly instructions.





905830 705369 906566 PARTS DET 18 PARTS DET 14 705018 PARTS DET 13 905761 BASE DET 1-4 OR 7-9	① 706040	PCS	② 705018	PCS
		1		2
			120x120x1170	
	③ 705369	PCS	④ 980114	PCS
		1		4
			Ø4x20	
	⑤ 905104	PCS	⑥ 905761	PCS
		8		2
	M10		120x120x700	
	⑦ 905830	PCS	⑧ 906566	PCS
		2		1
	123x123x40		1960x235x60	
	⑨ 980104	PCS	⑩ 980123	PCS
		2		16
	Ø5x90		Ø7x60	
	⑪ 909256	PCS		PCS
		16		
	Ø16/8.4			
		PCS		PCS
		PCS		PCS








Area of Movement 15 m²
Training Space 10 m²
Max Falling Height 0 mm








1:40






① 706039 	PCS 1	② 705018  120x120x1170	PCS 2
③ 705369 	PCS 1	④ 980114  Ø4x20	PCS 4
⑤ 905104  M10	PCS 8	⑥ 905761  120x120x700	PCS 2
⑦ 905830  123x123x40	PCS 2	⑧ 906569  1960x520x60	PCS 1
⑨ 980104  Ø5x90	PCS 2	⑩ 980123  Ø7x60	PCS 16
⑪ 909256  Ø16/8.4	PCS 16		PCS
	PCS		PCS
	PCS		PCS




		
h < 600 Without movement and therefore without Impact Area	Totally hard surfaces.	E.g. concrete or asphalt 
h < 600 With movement e.g. rocking	Materials with very limited impact attenuating properties.	E.g. wood 
h < 1000	Materials with significant impact attenuating properties.	fine gravel 0–8 mm  grass  unsorted sand 
h < 3000	Loose fill material E.g. sand/gravel 0,25...8 mm D60/D10<3,0 Woodchips 5...30 mm bark 20...80 mm	 <u>S</u> 30 cm 40 cm <u>h</u> < 2,0 m < 3,0 m
	Syntethic granulates <u>S</u> 40 mm ~> 1,2...1,3 m 50 mm ~> 1,5...1,7 m 60 mm ~> 1,8...2,0 m 70 mm ~> 2,1...2,5 m Note. For accurate values, see manufacturer's instructions.	

REMOVE SAFETY SURFACE/SAND/GRAVEL
TO CHECK FOUNDATION




REMOVE SAFETY SURFACE/SAND/GRAVEL
TO CHECK FOUNDATION




DET 1


Ø16 ↓ > 130




DET 2




DET 3



DET 4




DET 5




DET 6


DET 7




DET 8




DET 9




DET 10




DET 11




DET 12




DET 13




DET 14



DET 15




DET 16




DET 17

DET 18


DET 19




DET 20




DET 21




DET 22



DET 23



DET 24



DET 25

705412

905743

M10

DET 26

Esireikä / Pre-drill hole.

Ø10 ↓ 90

35 Nm

M10x100

Betoni / Concrete K30.

Safety surface

>100

DET 27

905743

M10x100
(909628)

DET 28

705096

906140

M10

DET 29

Esireikä / Pre-drill hole.

Ø10 ↓ 90

35 Nm

M10x100


Betoni / Concrete K30.

Safety surface


>100

DET 30


DET 31




DET 32




DET 33




DET 34




DET 35




DET 36




DET 37




DET 38




DET 39









DET 40




DET 41




DET 42




DET 49




DET 50




DET 51




DET 52



DET 53




DET 54




DET 55


STEELNET Ø6 #150
(1400x2100)
Concrete
1500X2200X200 K30




DET 56




DET 57




DET 58




DET 59




DET 1




DET 2




DET 3




DET 4




DET 5




DET 6




DET 7




DET 8




DET 9




DET 10




DET 11




DET 12




DET 13




DET 14




DET 15




DET 16









DET 17









DET 18




DET 19 M10x40 (901487) Ø20/10.5x2 (901302) M10 (909637)	DET 20 M10x35 (902252) 19x21x25 (903193) Ø20/10.5x2 (901302) M10 (909637)
DET 21 Muoviosan sijoitus (903193) Position of the plastic piece	DET 22 705433 705434 Ø8x70 (900240)
DET 23 Ø32 (905083) Ø16/8.4 (980151) Ø22 (905112) M8x75 (909203) M8	DET 24







DET 37




DET 38




DET 39




DET 40




DET 41




DET 42




DET 43




DET 44




DET 45




DET 46




DET 47




DET 48




DET 49




DET 50




DET 51




DET 52




DET 53




DET 54




DET 55




DET 56



DET 57



DET 58



DET 59

DET 60