


LAPPSET®

SPORT





















ASENNUSOHJE
MONTERINGSANSVISNING
INSTALLATION INSTRUCTION
AUFBAUANLEITUNG
NOTICE D'INSTALLATION






















DATE: 18.8.2015


081530M






DATE: 18.8.2015

081475  	PCS 1		PCS	704946  120x120x1350	PCS 2	705018  120x120x1170	PCS 13	705034  120x120x1990	PCS 1	705101 	PCS 2
705329  120x120x720	PCS 2	705330  120x120x870	PCS 4	705345  120x120x1520	PCS 8	705369 	PCS 2	705392  2360x200x120	PCS 1	705397 	PCS 1
705412  L SLOW	PCS 1	705439 	PCS 2	705461 	PCS 1	705505 	PCS 4	705513  Ø911	PCS 2	705520  Ø911	PCS 1
705554 	PCS 1	705555 	PCS 1	705568 	PCS 1	705581 	PCS 1	705585  1284x298x19	PCS 2	705586  Ø400	PCS 2
706039 	PCS 1	706040 	PCS 1	706041 	PCS 1	706042 	PCS 1	706043 	PCS 1	706044 	PCS 1
706045 	PCS 1	706046 	PCS 1	706047 	PCS 1	706048 	PCS 1	706049 	PCS 1	706050 	PCS 1
706051 	PCS 1	706052 	PCS 1	706053 	PCS 1	706054 	PCS 1	706055 	PCS 1	706056 	PCS 1



706057	PCS	706058	PCS	901487	PCS	902272	PCS		PCS	903191	PCS
	1		1		6		10				4
				M10x40		90x90x450					
903192	PCS	905104	PCS	905761	PCS	905830	PCS	905838	PCS	906316	PCS
	1		136		34		30		5		1
20x200x400		M10		120x120x700		123x123x40		1060 Lime		20x200x300	
906566	PCS	906569	PCS	906576	PCS	906613	PCS	906630	PCS	906632	PCS
	1		1		1		1		8		1
						1060x490x161		8x60			
909256	PCS	909506	PCS	909519	PCS	909629	PCS	909637	PCS	909638	PCS
	328		76		10		8		32		64
Ø16/8.4x1.6		Ø3.5x13		50x380x380		M10x30		M10		Ø20/10.5	
909639	PCS	909873	PCS	980104	PCS	980114	PCS	980123	PCS	980131	PCS
	24		16		30		80		278		7
M10x25		M8x40		Ø5x90		Ø4x20		Ø7x60		Ø6x60	
980160	PCS		PCS		PCS		PCS		PCS		PCS
	16										
M8											
	PCS		PCS		PCS		PCS		PCS		PCS








1: 50







① 706050	PCS	② 705018	PCS
	1		1
		120x120x1170	
③ 705330	PCS	④ 705554	PCS
	1		1
120x120x870			
⑤ 980114	PCS	⑥ 905104	PCS
	4		8
Ø4x20		M10	
⑦ 905761	PCS	⑧ 905830	PCS
	2		2
120x120x700		123x123x40	
⑨ 980104	PCS	⑩ 980123	PCS
	2		16
Ø5x90		Ø7x60	
⑪ 909256	PCS		PCS
	16		
Ø16/8.4			
	PCS		PCS
	PCS		PCS





1: 25



1: 40






① 706046 	PCS 1	② 705018  120x120x1170	PCS 3
③ 705505 	PCS 4	④ 980114  Ø4x20	PCS 4
⑤ 905104  M10	PCS 12	⑥ 905761  120x120x700	PCS 3
⑦ 905830  123x123x40	PCS 3	⑧ 980104  Ø5x90	PCS 3
⑨ 980123  Ø7x60	PCS 44	⑩ 909256  Ø16/8.4	PCS 44
	PCS		PCS
	PCS		PCS
	PCS		PCS




1: 25




Area of Movement 15.1 m²
Training Space 3.1 m²
Max Falling Height 0 mm

1: 40












① 706044	PCS	② 705329	PCS
	1		2
		120x120x720	
③ 705101	PCS	④ 980114	PCS
	1		4
		Ø4x20	
⑤ 905104	PCS	⑥ 905830	PCS
	8		2
M10		123x123x40	
⑦ 905838	PCS	⑧ 980104	PCS
	1		2
1060 Lime		Ø5x90	
⑨ 980123	PCS	⑩ 905761	PCS
	16		2
Ø7x60		120x120x700	
⑪ 705432	PCS	⑫ 901487	PCS
	1		3
Ø400		M10x40	
⑬ 909256	PCS	⑭ 903192	PCS
	16		1
Ø16/8.4		20x200x400	
⑮ 903191	PCS	2	
M10x35 (902252) Ø20/10.5x2 (901302) M10 (909637) 19x21x25 (903193)			



Area of Movement 13.6 m²
Training Space 3.1 m²
Max Falling Height 420 mm






① 706054	PCS	② 705345	PCS
	1		1
		120x120x1520	
③ 705513	PCS	④ 980114	PCS
	2		4
		Ø4x20	
⑤ 905104	PCS	⑥ 905761	PCS
	4		1
M10		120x120x700	
⑦ 905830	PCS	⑧ 906630	PCS
	1		4
123x123x40		Ø8x60	
⑨ 980104	PCS	⑩ 980123	PCS
	1		4
Ø5x90		Ø7x60	
⑪ 909256	PCS		PCS
	4		
Ø16/8.4			
	PCS		PCS
	PCS		PCS




1: 25



1: 40



Area of Movement 9.5 m²
Training Space 4.6 m²
Max Falling Height 0 mm







905830 705330 905761 705460 906644 906645 BASE DET 1-4 OR 7-9 BASE DET 37-39 OR 34-36 PARTS DET 16 PARTS DET 31 PARTS DET 32				1 705330 PCS 2 120x120x870	2 705460 PCS 1	3 902272 PCS 2 90x90x450	4 905104 PCS 8 M10	5 905761 PCS 2 120x120x700	6 905830 PCS 2 123x123x40	7 909519 PCS 2 50x380x380	8 909629 PCS 8 M10x30	9 909637 PCS 16 M10	10 909638 PCS 32 Ø20/10.5	11 909639 PCS 8 M10x25	12 980104 PCS 2 Ø5x90	13 906644 PCS 1 LEFT	14 906645 PCS 1 RIGHT
				15 980123 PCS 16 Ø7x60	16 706055 PCS 1	17 909873 PCS 6 M8x40	18 980114 PCS 4 Ø4x20	19 909256 PCS 22 Ø16/8.4	20 909633 PCS 6 M8								




Game options:			Bars left options:		
 1290x670	705460-701	ACTIVE		906644-215	Turquoise
	705460-702	JOY		906644-216	Pearl Light Gray
	705460-703	SLOW		906644-217	Lime
	705460-704	SOLID		906644-218	Pink


Bars right options:			1: 25		
	906645-215	Turquoise			
	906645-216	Pearl Light Gray			
	906645-217	Lime			
	906645-218	Pink			








Area of Movement 15.9 m2
Impact Area 14.5 m2
Training Space 5.5 m2
Max Falling Height 875 mm

1: 40







① 706053  PCS 1	② 705345  PCS 2 120x120x1520
③ 980123  PCS 14 Ø7x60	④ 980114  PCS 4 Ø4x20
⑤ 905104  PCS 8 M10	⑥ 905761  PCS 2 120x120x700
⑦ 905830  PCS 2 123x123x40	⑧ 705397  PCS 1
⑨ 980104  PCS 2 Ø5x90	⑩ 909256  PCS 8 Ø16/8.4
PCS	PCS
PCS	PCS
PCS	PCS



Area of Movement 11.2 m²
Training Space 3.1 m²
Max Falling Height 0 mm


1: 40








1: 25





Area of Movement 7.9 m2
Training Space 3.1 m2
Max Falling Height 0 mm


1: 40






905830 705369 906569 PARTS DET 18 PARTS DET 14 705018 905761 PARTS DET 13 BASE DET 1-4 OR 7-9	①	706039	PCS	②	705018	PCS
			1			2
					120x120x1170	
	③	705369	PCS	④	980114	PCS
			1			4
					Ø4x20	
	⑤	905104	PCS	⑥	905761	PCS
			8			2
		M10			120x120x700	
	⑦	905830	PCS	⑧	906569	PCS
			2			1
		123x123x40			1960x520x60	
	⑨	980104	PCS	⑩	980123	PCS
			2			16
		Ø5x90			Ø7x60	
	⑪	909256	PCS			PCS
			16			
		Ø16/8.4				
			PCS			PCS
			PCS			PCS








① 705024	PCS	② 705345	PCS
	1		2
15x640x560		120x120x1520	
③ 909633	PCS	④ 905104	PCS
	8		8
M8		M10	
⑤ 905761	PCS	⑥ 905830	PCS
	2		2
120x120x700		123x123x40	
⑦ 905936	PCS	⑧ 909256	PCS
	2		32
L=652		Ø16/8.4x1.6	
⑨ 909855	PCS	⑩ 980104	PCS
	8		2
M8x35		Ø5x90	
⑪ 980123	PCS		PCS
	20		
Ø7x60			
⑫ 901899 Optio	PCS		PCS
	8		
M8x45			
Not Included	PCS		PCS
640x560			


1: 25






① 706056	PCS	② 704946	PCS
	1		2
		120x120x1350	
③ 705585	PCS	④ 980114	PCS
	2		4
1284x298x19		Ø4x20	
⑤ 905104	PCS	⑥ 905761	PCS
	8		2
M10		120x120x700	
⑦ 905830	PCS	⑧ 905838	PCS
	2		1
123x123x40		1060 Lime	
⑨ 906613	PCS	⑩ 909256	PCS
	1		56
1060x490x161		Ø16/8.4x1.6	
⑪ 909873	PCS	⑫ 980104	PCS
	16		2
M8x40		Ø5x90	
⑬ 980123	PCS	⑭ 980160	PCS
	24		16
Ø7x60		M8	
	PCS		PCS






① 706048	PCS	② 705345	PCS
	1		1
		120x120x1520	
③ 705439	PCS	④ 980114	PCS
	2		4
		Ø4x20	
⑤ 905104	PCS	⑥ 905761	PCS
	4		1
M10		120x120x700	
⑦ 905830	PCS	⑧ 980104	PCS
	1		1
123x123x40		Ø5x90	
⑨ 980123	PCS	⑩ 909256	PCS
	20		20
Ø7x60		Ø16/8.4	
	PCS		PCS
	PCS		PCS
	PCS		PCS


1:25




Area of Movement 8.8 m²
Training Space 4.6 m²
Max Falling Height 0 mm

1:40







DET 1




① 706057	PCS	② 705580	PCS
	1		1
③ 902272	PCS	④ 980114	PCS
	4		4
90x90x450		Ø4x20	
⑤ 909519	PCS	⑥ 909637	PCS
	4		8
50x380x380		M10	
⑦ 909638	PCS	⑧ 909639	PCS
	16		8
Ø20/10.5		M10x25	
⑨ 906635	PCS	⑩ 909873	PCS
	2		8
		M8x40	
⑪ 909256	PCS	⑫ 980160	PCS
	16		8
Ø16/8.4		M8 A2	
	PCS		PCS
	PCS		PCS




Box L options:			Bars options:	
 BOX L	705580-602	Dark Brown	 BAR	906635-215 TURQUOISE
	705580-603	Light Brown		906635-216 PEARL LIGHT GREY
	705580-604	Gray		906635-217 LIME
				906635-218 PINK


1: 25





Area of Movement 12.7 m2
Impact Area 10.7 m2
Training Space 5.3 m2
Max Falling Height 610 mm

1: 40





① 706052	PCS	② 705018	PCS
	1		2
		120x120x1170	
③ 705412	PCS	④ 902272	PCS
	1		4
		90x90x450	
⑤ 980114	PCS	⑥ 905104	PCS
	4		8
Ø4x20		M10	
⑦ 905761	PCS	⑧ 905830	PCS
	2		2
120x120x700		123x123x40	
⑨ 905838	PCS	⑩ 909519	PCS
	2		4
1060 Lime		50x380x380	
⑪ 909637	PCS	⑫ 909638	PCS
	8		16
M10		Ø20/10.5	
⑬ 909639	PCS	⑭ 980104	PCS
	8		2
M10x25		Ø5x90	
⑮ 980123	PCS	⑯ 909256	PCS
	24		24
Ø7x60		Ø16/8.4	





PARTS
DET 16

PARTS
DET 1

705345

705432

906316

PARTS
DET 19-21


BASE
DET 19-21

BASE
DET 1-4
OR 7-9

905761


705101

① 706045	PCS	② 705345	PCS
	1		2
		120x120x1520	
③ 705101	PCS	④ 980114	PCS
	1		4
		Ø4x20	
⑤ 905104	PCS	⑥ 905830	PCS
	8		2
M10		123x123x40	
⑦ 905838	PCS	⑧ 980104	PCS
	1		2
1060 Lime		Ø5x90	
⑨ 980123	PCS	⑩ 905761	PCS
	16		2
Ø7x60		120x120x700	
⑪ 705432	PCS	⑫ 901487	PCS
	1		3
Ø400		M10x40	
⑬ 909256	PCS	⑭ 906316	PCS
	16		1
Ø16/8.4		20x200x300	
⑮ 903191	PCS		2
		M10x35 (902252)	
		Ø20/10.5x2 (901302)	
		M10 (909637)	
		19x21x25 (903193)	



Area of Movement 13.6 m²
Training Space 3.1 m²
Max Falling Height 320 mm

1: 40





PARTS
DET 16

PARTS
DET 35

705520

705345



BASE
DET 1-4
or 7-9

Note:
Huom!

① 706049	PCS	② 705345	PCS
	1		2
		120x120x1520	
③ 705520	PCS	④ 980114	PCS
	1		4
		Ø4x20	
⑤ 905104	PCS	⑥ 905761	PCS
	8		2
M10		120x120x700	
⑦ 905830	PCS	⑧ 906630	PCS
	2		4
123x123x40		Ø8x60	
⑨ 980104	PCS	⑩ 980123	PCS
	2		8
Ø5x90		Ø7x60	
⑪ 909256	PCS		PCS
	8		
Ø16/8.4			


Note:
Water hole.

Huom!
Vesireikä




DATE: 29.6.2015

Syväperustus



Pintaperustus



Syväperustus


1. Kaivetaan 600 mm syvä kaivanto pinnan korosta. Jotkin välineet tarvitsevat syvemmän kaivannon (katso tuotteiden asennusohjeet).
Huom! Kantava ja suora perustusten pohja.
2. Asennetaan välineet.
3. Valetaan betonit. Jotkin välineet voivat vaatia isomman valun, katso yksittäisten tuotteiden asennusohjeet.
4. Täytetään 0-32 oikeaan korkoon.
5. Tiivistetään täyttö.
6. Täytetään kivituhkalla (0-8) n.30mm kerros jonka jälkeen tasoitetaan ja tiivistetään hyvin.(+/-10mm/4m oikolauta)
7. Tämän jälkeen asennetaan nurmi (katso asennusohje).

Pintaperustus


1. Kaivetaan 220 mm syvä kaivanto pinnan korosta.
Huom! Kantava ja suora perustusten pohja.
2. Valetaan betonilaatta (min. 150 mm paksu). Koko riippuu kentän koosta (S,M,L).
3. Asennetaan välineet.
4. Asennetaan joustopalat ohjeen mukaisesti (katso asennusohje).
5. Tämän jälkeen asennetaan nurmi (katso asennusohje).

DATE: 29.6.2015

Deep mounting



Surface mounting



Deep mounting

1. Start by digging 600 mm deep excavation. Some equipment may need more depth, see assembly instructions for individual equipment.
2. Assemble the equipment according to assembly instructions.
3. Make concrete blocks. Some equipment may need bigger block, see assembly instructions.
4. Fill with 0-32 grit to correct level.
5. Compact the layer.
6. Spread 30 mm thick layer using grit 0-8 gravel. Compact and level it thoroughly. (+/-10mm/4m)
7. Assemble the safety base according to assembly instructions.
8. Assemble the turf according to assembly instructions.


NOTE: Also the soil below the starting level (-600) needs to be solid and compact.

Surface mounting

1. Start by digging 220 mm deep excavation.
2. Make concrete plate, see illustration (min. 150 mm thick). Size depends on the size of the Parkour field (S,M,L).
3. Assemble the equipment according to assembly instructions.
4. Assemble the safety base according to assembly instructions.
5. Assemble the turf according to assembly instructions.




905830 705369 906566 PARTS DET 18 PARTS DET 14 705018 PARTS DET 13 905761 BASE DET 1-4 OR 7-9	① 706040	PCS	② 705018	PCS
		1		2
			120x120x1170	
	③ 705369	PCS	④ 980114	PCS
		1		4
			Ø4x20	
	⑤ 905104	PCS	⑥ 905761	PCS
		8		2
	M10		120x120x700	
	⑦ 905830	PCS	⑧ 906566	PCS
		2		1
	123x123x40		1960x235x60	
	⑨ 980104	PCS	⑩ 980123	PCS
		2		16
	Ø5x90		Ø7x60	
	⑪ 909256	PCS		PCS
		16		
	Ø16/8.4			
		PCS		PCS
		PCS		PCS




Area of Movement 15 m2
Training Space 10 m2
Max Falling Height 0 mm

1: 40







905830 906576 PARTS DET 16 PARTS DET 2 705018 905761 BASE DET 1-4 OR 7-9	① 706043 PCS 1	② 705018 PCS 2 120x120x1170
	③ 980123 PCS 16 Ø7x60	④ 980114 PCS 4 Ø4x20
	⑤ 905104 PCS 8 M10	⑥ 905761 PCS 2 120x120x700
	⑦ 905830 PCS 2 123x123x40	⑧ 906576 PCS 1 1960x130x60
	⑨ 980104 PCS 2 Ø5x90	⑩ 909256 PCS 16 Ø16/8.4
	PCS	PCS
	PCS	PCS
	PCS	PCS




Area of Movement 14.8 m²
Impact Area 14.8 m²
Training Space 7.4 m²
Max Falling Height 1200 mm








① 706042	PCS	② 705566	PCS
	1		1
		120x140x2294	
③ 980114	PCS	④ 905104	PCS
	4		8
Ø4x20		M10	
⑤ 905761	PCS	⑥ 980123	PCS
	2		8
120x120x700		Ø7x60	
⑦ 909256	PCS		PCS
	8		
Ø16/8.4			
	PCS		PCS
	PCS		PCS



Boom options:




705566-602	Dark Brown
705566-603	Light Brown
705566-604	Gray






① 706041	PCS	② 705590	PCS
	1		1
		120x200x2294	
③ 980114	PCS	④ 905104	PCS
	4		8
Ø4x20		M10	
⑤ 905761	PCS	⑥ 980123	PCS
	2		8
120x120x700		Ø7x60	
⑦ 909256	PCS		PCS
	8		
Ø16/8.4			
	PCS		PCS
	PCS		PCS

Boom options:




705590-602 Dark Brown
705590-603 Light Brown
705590-604 Gray



Area of Movement 14.6 m²
Training Space 7.7 m²
Max Falling Height 275 mm

1: 40







	①	706051	PCS	②	705018	PCS
			1			1
					120x120x1170	
	③	705330	PCS	④	705555	PCS
			1			1
		120x120x870				
	⑤	980114	PCS	⑥	905104	PCS
			4			8
		Ø4x20			M10	
	⑦	905761	PCS	⑧	905830	PCS
			2			2
		120x120x700			123x123x40	
	⑨	980104	PCS	⑩	980123	PCS
			2			16
		Ø5x90			Ø7x60	
	⑪	909256	PCS			PCS
			16			
		Ø16/8.4				
			PCS			PCS
			PCS			PCS










1: 25




1: 40




		
h < 600 Without movement and therefore without Impact Area	Totally hard surfaces.	E.g. concrete or asphalt 
h < 600 With movement e.g. rocking	Materials with very limited impact attenuating properties.	E.g. wood 
h < 1000	Materials with significant impact attenuating properties.	fine gravel 0–8 mm  grass  unsorted sand 
h < 3000	Loose fill material E.g. sand/gravel 0,25...8 mm D60/D10<3,0 Woodchips 5...30 mm bark 20...80 mm	 $\underline{S}$ 30 cm $\underline{h}$ < 2,0 m 40 cm < 3,0 m
	Syntethic granulates $\underline{S}$ 40 mm ~> 1,2...1,3 m 50 mm ~> 1,5...1,7 m 60 mm ~> 1,8...2,0 m 70 mm ~> 2,1...2,5 m Note. For accurate values, see manufacturer's instructions.	


REMOVE SAFETY SURFACE/SAND/GRAVEL
TO CHECK FOUNDATION




REMOVE SAFETY SURFACE/SAND/GRAVEL
TO CHECK FOUNDATION




DET 1




DET 2




DET 3




DET 4




DET 5




DET 6




DET 7




DET 8




DET 9




DET 10




DET 11




DET 12




DET 13




DET 14




DET 15




DET 16









DET 17









DET 18




DET 19 M10x40 (901487) Ø20/10.5x2 (901302) M10 (909637)	DET 20 M10x35 (902252) 19x21x25 (903193) Ø20/10.5x2 (901302) M10 (909637)
DET 21 Muoviosan sijoitus (903193) Position of the plastic piece	DET 22 705433 705434 Ø8x70 (900240)
DET 23 Ø32 (905083) Ø16/8.4 (980151) Ø22 (905112) M8x75 (909203) M8	DET 24







DET 37




DET 38




DET 39




DET 40




DET 41




DET 42




DET 43




DET 44




DET 45




DET 46




DET 47




DET 48




DET 49




DET 50




DET 51




DET 52




DET 53




DET 54



DET 55



DET 56



DET 57


DET 58

DET 59


DET 60

DET 1


Ø16 ↓ > 130



DET 2




DET 3




DET 4

Ø7x60
(980123)




DET 5




DET 6


DET 7




DET 8




DET 9




DET 10




DET 11




DET 12




DET 13




DET 14



DET 15




DET 16




DET 17

DET 18


DET 19




DET 20




DET 21




DET 22



DET 23



DET 24



DET 25

705412

905743

M10

DET 26

Esireikä / Pre-drill hole.

Ø10 ↓ 90

35 Nm

M10x100

Betoni / Concrete K30.

Safety surface

>100

DET 27

905743

M10x100
(909628)

DET 28

705096

906140

M10

DET 29

Esireikä / Pre-drill hole.

Ø10 ↓ 90

35 Nm

M10x100


Betoni / Concrete K30.

Safety surface


>100

DET 30


DET 31




DET 32




DET 33




DET 34




DET 35




DET 36




DET 37




DET 38




DET 39









DET 40




DET 41




DET 42




DET 49




DET 50




DET 51




DET 52



DET 53




DET 54




DET 55


STEELNET Ø6 #150
(1400x2100)
Concrete
1500X2200X200 K30




DET 56



DET 57



DET 58



DET 59

