


LAPPSET®

SPORT




















ASENNUSOHJE
MONTERINGSANSVISNING
INSTALLATION INSTRUCTION
AUFBAUANLEITUNG
NOTICE D'INSTALLATION

DATE: 18.8.2015



















081530M






DATE: 18.8.2015

081475  1 	PCS 1		PCS	704946  2 120x120x1350	PCS 2	705018  13 120x120x1170	PCS 13	705034  1 120x120x1990	PCS 1	705101  2	PCS 2
705329  2 120x120x720	PCS 2	705330  4 120x120x870	PCS 4	705345  8 120x120x1520	PCS 8	705369  2	PCS 2	705392  1 2360x200x120	PCS 1	705397  1	PCS 1
705412  1 L SLOW	PCS 1	705439  2	PCS 2	705461  1	PCS 1	705505  4	PCS 4	705513  2	PCS 2	705520  1 Ø911	PCS 1
705554  1	PCS 1	705555  1	PCS 1	705568  1	PCS 1	705581  1	PCS 1	705585  2 1284x298x19	PCS 2	705586  2 Ø400	PCS 2
706039  1	PCS 1	706040  1	PCS 1	706041  1	PCS 1	706042  1	PCS 1	706043  1	PCS 1	706044  1	PCS 1
706045  1	PCS 1	706046  1	PCS 1	706047  1	PCS 1	706048  1	PCS 1	706049  1	PCS 1	706050  1	PCS 1
706051  1	PCS 1	706052  1	PCS 1	706053  1	PCS 1	706054  1	PCS 1	706055  1	PCS 1	706056  1	PCS 1



DATE: 18.8.2015


706057	PCS 1	706058	PCS 1	901487	PCS 6	902272	PCS 10		PCS	903191	PCS 4
											
				M10x40		90x90x450					
903192	PCS 1	905104	PCS 136	905761	PCS 34	905830	PCS 30	905838	PCS 5	906316	PCS 1
											
20x200x400		M10		120x120x700		123x123x40		1060 Lime		20x200x300	
906566	PCS 1	906569	PCS 1	906576	PCS 1	906613	PCS 1	906630	PCS 8	906632	PCS 1
											
						1060x490x161		8x60			
909256	PCS 328	909506	PCS 76	909519	PCS 10	909629	PCS 8	909637	PCS 32	909638	PCS 64
											
Ø16/8.4x1.6		Ø3.5x13		50x380x380		M10x30		M10		Ø20/10.5	
909639	PCS 24	909873	PCS 16	980104	PCS 30	980114	PCS 80	980123	PCS 278	980131	PCS 7
											
M10x25		M8x40		Ø5x90		Ø4x20		Ø7x60		Ø6x60	
980160	PCS 16		PCS		PCS		PCS		PCS		PCS
											
M8											
	PCS		PCS		PCS		PCS		PCS		PCS





1: 50






①	706050	PCS	②	705018	PCS
		1			1
				120x120x1170	
③	705330	PCS	④	705554	PCS
		1			1
	120x120x870				
⑤	980114	PCS	⑥	905104	PCS
		4			8
	Ø4x20			M10	
⑦	905761	PCS	⑧	905830	PCS
		2			2
	120x120x700			123x123x40	
⑨	980104	PCS	⑩	980123	PCS
		2			16
	Ø5x90			Ø7x60	
⑪	909256	PCS			PCS
		16			
	Ø16/8.4				
		PCS			PCS
		PCS			PCS





1: 25



Area of Movement 14.1 m²
Training Space 3.1 m²
Max Falling Height 0 mm

1: 40






①	706046	PCS	②	705018	PCS
		1			3
				120x120x1170	
③	705505	PCS	④	980114	PCS
		4			4
				Ø4x20	
⑤	905104	PCS	⑥	905761	PCS
		12			3
	M10			120x120x700	
⑦	905830	PCS	⑧	980104	PCS
		3			3
	123x123x40			Ø5x90	
⑨	980123	PCS	⑩	909256	PCS
		44			44
	Ø7x60			Ø16/8.4	
		PCS			PCS
		PCS			PCS
		PCS			PCS




1: 25



Area of Movement 15.1 m²
Training Space 3.1 m²
Max Falling Height 0 mm

1: 40








905830 **905838** **705432** **903192** **905761** **705101**

PARTS DET 16 **PARTS DET 1** **BASE DET 19-21** **BASE DET 1-4 OR 7-9**

①	706044	PCS	②	705329	PCS
		1			2
				120x120x720	
③	705101	PCS	④	980114	PCS
		1			4
				Ø4x20	
⑤	905104	PCS	⑥	905830	PCS
		8			2
	M10			123x123x40	
⑦	905838	PCS	⑧	980104	PCS
		1			2
	1060 Lime			Ø5x90	
⑨	980123	PCS	⑩	905761	PCS
		16			2
	Ø7x60			120x120x700	
⑪	705432	PCS	⑫	901487	PCS
		1			3
	Ø400			M10x40	
⑬	909256	PCS	⑭	903192	PCS
		16			1
	Ø16/8.4			20x200x400	
⑮	903191	PCS			2
				M10x35 (902252)	
				Ø20/10.5x2 (901302)	
				M10 (909637)	
				19x21x25 (903193)	






①	706054	PCS	②	705345	PCS
		1			1
				120x120x1520	
③	705513	PCS	④	980114	PCS
		2			4
				Ø4x20	
⑤	905104	PCS	⑥	905761	PCS
		4			1
	M10			120x120x700	
⑦	905830	PCS	⑧	906630	PCS
		1			4
	123x123x40			Ø8x60	
⑨	980104	PCS	⑩	980123	PCS
		1			4
	Ø5x90			Ø7x60	
⑪	909256	PCS			PCS
		4			
	Ø16/8.4				
		PCS			PCS
		PCS			PCS





1: 25












1: 40

Area of Movement 9.5 m²
Training Space 4.6 m²
Max Falling Height 0 mm








①	705330	PCS	②	705460	PCS
		2			1
	120x120x870				
③	902272	PCS	④	905104	PCS
		2			8
	90x90x450			M10	
⑤	905761	PCS	⑥	905830	PCS
		2			2
	120x120x700			123x123x40	
⑦	909519	PCS	⑧	909629	PCS
		2			8
	50x380x380			M10x30	
⑨	909637	PCS	⑩	909638	PCS
		16			32
	M10			Ø20/10.5	
⑪	909639	PCS	⑫	980104	PCS
		8			2
	M10x25			Ø5x90	
⑬	906644	PCS	⑭	906645	PCS
		1			1
	LEFT			RIGHT	
⑮	980123	PCS	⑰	909873	PCS
		16			6
	Ø7x60			M8x40	
⑯	909256	PCS	⑱	980114	PCS
		22			4
	Ø16/8.4			Ø4x20	
⑳	909633	PCS			
		6			
	M8				







Game options:		Bars left options:			
<p>1290x670</p>	705460-701	ACTIVE		906644-215	Turquoise
	705460-702	JOY		906644-216	Pearl Light Gray
	705460-703	SLOW		906644-217	Lime
	705460-704	SOLID		906644-218	Pink


Bars right options:		1: 25
	906645-215	Turquoise
	906645-216	Pearl Light Gray
	906645-217	Lime
	906645-218	Pink







①	706053	PCS	②	705345	PCS
		1			2
				120x120x1520	
③	980123	PCS	④	980114	PCS
		14			4
	Ø7x60			Ø4x20	
⑤	905104	PCS	⑥	905761	PCS
		8			2
	M10			120x120x700	
⑦	905830	PCS	⑧	705397	PCS
		2			1
	123x123x40				
⑨	980104	PCS	⑩	909256	PCS
		2			8
	Ø5x90			Ø16/8.4	
		PCS			PCS
		PCS			PCS
		PCS			PCS






①	706047	PCS	②	906632	PCS
		1			1
③	705347	PCS	④	980123	PCS
		1			4
				Ø7x60	
⑤	980114	PCS	⑥	905104	PCS
		4			4
	Ø4x20			M10	
⑦	905761	PCS	⑧	905830	PCS
		1			1
	120x120x700			123x123x40	
⑨	980104	PCS	⑩	980131	PCS
		1			7
	Ø5x90			Ø6x60	
⑪	909256	PCS			PCS
		4			
	Ø16/8.4				
		PCS			PCS
		PCS			PCS





1: 25








Area of Movement 7.9 m²
Training Space 3.1 m²
Max Falling Height 0 mm


1: 40






①	706039	PCS	②	705018	PCS
		1			2
				120x120x1170	
③	705369	PCS	④	980114	PCS
		1			4
				Ø4x20	
⑤	905104	PCS	⑥	905761	PCS
		8			2
	M10			120x120x700	
⑦	905830	PCS	⑧	906569	PCS
		2			1
	123x123x40			1960x520x60	
⑨	980104	PCS	⑩	980123	PCS
		2			16
	Ø5x90			Ø7x60	
⑪	909256	PCS			PCS
		16			
	Ø16/8.4				
		PCS			PCS
		PCS			PCS








① 705024	PCS	② 705345	PCS
	1		2
15x640x560		120x120x1520	
③ 909633	PCS	④ 905104	PCS
	8		8
M8		M10	
⑤ 905761	PCS	⑥ 905830	PCS
	2		2
120x120x700		123x123x40	
⑦ 905936	PCS	⑧ 909256	PCS
	2		32
L=652		Ø16/8.4x1.6	
⑨ 909855	PCS	⑩ 980104	PCS
	8		2
M8x35		Ø5x90	
⑪ 980123	PCS		PCS
	20		
Ø7x60			
⑫ 901899	PCS		PCS
Optio	8		
M8x45			
Not Included	PCS		PCS
640x560			


1: 25





①	706056	PCS	②	704946	PCS
		1			2
				120x120x1350	
③	705585	PCS	④	980114	PCS
		2			4
	1284x298x19			Ø4x20	
⑤	905104	PCS	⑥	905761	PCS
		8			2
	M10			120x120x700	
⑦	905830	PCS	⑧	905838	PCS
		2			1
	123x123x40			1060 Lime	
⑨	906613	PCS	⑩	909256	PCS
		1			56
	1060x490x161			Ø16/8.4x1.6	
⑪	909873	PCS	⑫	980104	PCS
		16			2
	M8x40			Ø5x90	
⑬	980123	PCS	⑭	980160	PCS
		24			16
	Ø7x60			M8	
		PCS			PCS






①	706048	PCS	②	705345	PCS
		1			1
				120x120x1520	
③	705439	PCS	④	980114	PCS
		2			4
				Ø4x20	
⑤	905104	PCS	⑥	905761	PCS
		4			1
	M10			120x120x700	
⑦	905830	PCS	⑧	980104	PCS
		1			1
	123x123x40			Ø5x90	
⑨	980123	PCS	⑩	909256	PCS
		20			20
	Ø7x60			Ø16/8.4	
		PCS			PCS
		PCS			PCS
		PCS			PCS






1: 25



Area of Movement 8.8 m²
Training Space 4.6 m²
Max Falling Height 0 mm


1: 40






①	706057	PCS	②	705580	PCS
		1			1
③	902272	PCS	④	980114	PCS
		4			4
	90x90x450			Ø4x20	
⑤	909519	PCS	⑥	909637	PCS
		4			8
	50x380x380			M10	
⑦	909638	PCS	⑧	909639	PCS
		16			8
	Ø20/10.5			M10x25	
⑨	906635	PCS	⑩	909873	PCS
		2			8
				M8x40	
⑪	909256	PCS	⑫	980160	PCS
		16			8
	Ø16/8.4			M8 A2	
		PCS			PCS
		PCS			PCS




Box L options:			Bars options:	
 BOX L	705580-602	Dark Brown	 BAR	906635-215 TURQUOSE
	705580-603	Light Brown		906635-216 PEARL LIGHT GREY
	705580-604	Gray		906635-217 LIME
				906635-218 PINK


1: 25





Area of Movement 12.7 m²
 Impact Area 10.7 m²
 Training Space 5.3 m²
 Max Falling Height 610 mm

1: 40





①	706052	PCS	②	705018	PCS
		1			2
				120x120x1170	
③	705412	PCS	④	902272	PCS
		1			4
				90x90x450	
⑤	980114	PCS	⑥	905104	PCS
		4			8
	Ø4x20			M10	
⑦	905761	PCS	⑧	905830	PCS
		2			2
	120x120x700			123x123x40	
⑨	905838	PCS	⑩	909519	PCS
		2			4
	1060 Lime			50x380x380	
⑪	909637	PCS	⑫	909638	PCS
		8			16
	M10			Ø20/10.5	
⑬	909639	PCS	⑭	980104	PCS
		8			2
	M10x25			Ø5x90	
⑮	980123	PCS	⑯	909256	PCS
		24			24
	Ø7x60			Ø16/8.4	





905830 905838

PARTS DET 16

PARTS DET 1

705345

705432

906316



PARTS DET 19-21

BASE DET 19-21

BASE DET 1-4 OR 7-9

905761 705101

①	706045	PCS	1	②	705345	PCS	2
				120x120x1520			
③	705101	PCS	1	④	980114	PCS	4
				Ø4x20			
⑤	905104	PCS	8	⑥	905830	PCS	2
M10				123x123x40			
⑦	905838	PCS	1	⑧	980104	PCS	2
1060 Lime				Ø5x90			
⑨	980123	PCS	16	⑩	905761	PCS	2
Ø7x60				120x120x700			
⑪	705432	PCS	1	⑫	901487	PCS	3
Ø400				M10x40			
⑬	909256	PCS	16	⑭	906316	PCS	1
Ø16/8.4				20x200x300			
⑮	903191	PCS	2				









PARTS
DET 16

PARTS
DET 35

Note:
Huom!


BASE
DET 1-4
or 7-9

①	706049	PCS	②	705345	PCS
		1			2
				120x120x1520	
③	705520	PCS	④	980114	PCS
		1			4
				Ø4x20	
⑤	905104	PCS	⑥	905761	PCS
		8			2
	M10			120x120x700	
⑦	905830	PCS	⑧	906630	PCS
		2			4
	123x123x40			Ø8x60	
⑨	980104	PCS	⑩	980123	PCS
		2			8
	Ø5x90			Ø7x60	
⑪	909256	PCS			PCS
		8			
	Ø16/8.4				




Note:
Water hole.

Huom!
Vesireikä




Area of Movement 10.7 m²
Training Space 3.1 m²
Max Falling Height 0 mm

1:40




DATE: 29.6.2015

Syväperustus



Pintaperustus




Syväperustus

1. Kaivetaan 600 mm syvä kaivanto pinnan korosta. Jotkin välineet tarvitsevat syvemmän kaivannon (katso tuotteiden asennusohjeet).
Huom! Kantava ja suora perustusten pohja.
2. Asennetaan välineet.
3. Valetaan betonit. Jotkin välineet voivat vaatia isomman valun, katso yksittäisten tuotteiden asennusohjeet.
4. Täytetään 0-32 oikeaan korkoon.
5. Tiivistetään täyttö.
6. Täytetään kivituhkalla (0-8) n.30mm kerros jonka jälkeen tasoitetaan ja tiivistetään hyvin.(+/-10mm/4m oikolauta)
7. Tämän jälkeen asennetaan nurmi (katso asennusohje).

Pintaperustus

1. Kaivetaan 220 mm syvä kaivanto pinnan korosta.
Huom! Kantava ja suora perustusten pohja.
2. Valetaan betonilaatta (min. 150 mm paksu). Koko riippuu kentän koosta (S,M,L).
3. Asennetaan välineet.
4. Asennetaan joustopalat ohjeen mukaisesti (katso asennusohje).
5. Tämän jälkeen asennetaan nurmi (katso asennusohje).

DATE: 29.6.2015




Deep mounting

1. Start by digging 600 mm deep excavation. Some equipment may need more depth, see assembly instructions for individual equipment.
2. Assemble the equipment according to assembly instructions.
3. Make concrete blocks. Some equipment may need bigger block, see assembly instructions.
4. Fill with 0-32 grit to correct level.
5. Compact the layer.
6. Spread 30 mm thick layer using grit 0-8 gravel. Compact and level it thoroughly. (+/-10mm/4m)
7. Assemble the safety base according to assembly instructions.
8. Assemble the turf according to assembly instructions.



NOTE: Also the soil below the starting level (-600) needs to be solid and compact.


Surface mounting

1. Start by digging 220 mm deep excavation.
2. Make concrete plate, see illustration (min. 150 mm thick). Size depends on the size of the Parkour field (S,M,L).
3. Assemble the equipment according to assembly instructions.
4. Assemble the safety base according to assembly instructions.
5. Assemble the turf according to assembly instructions.




①	706040	PCS	②	705018	PCS
		1			2
				120x120x1170	
③	705369	PCS	④	980114	PCS
		1			4
				Ø4x20	
⑤	905104	PCS	⑥	905761	PCS
		8			2
	M10			120x120x700	
⑦	905830	PCS	⑧	906566	PCS
		2			1
	123x123x40			1960x235x60	
⑨	980104	PCS	⑩	980123	PCS
		2			16
	Ø5x90			Ø7x60	
⑪	909256	PCS			PCS
		16			
	Ø16/8.4				
		PCS			PCS
		PCS			PCS







①	706043	PCS	②	705018	PCS
		1			2
				120x120x1170	
③	980123	PCS	④	980114	PCS
		16			4
	Ø7x60			Ø4x20	
⑤	905104	PCS	⑥	905761	PCS
		8			2
	M10			120x120x700	
⑦	905830	PCS	⑧	906576	PCS
		2			1
	123x123x40			1960x130x60	
⑨	980104	PCS	⑩	909256	PCS
		2			16
	Ø5x90			Ø16/8.4	
		PCS			PCS
		PCS			PCS
		PCS			PCS



Area of Movement 14.8 m²
Impact Area 14.8 m²
Training Space 7.4 m²
Max Falling Height 1200 mm


1:40








① 706042	PCS	② 705566	PCS
	1		1
		120x140x2294	
③ 980114	PCS	④ 905104	PCS
	4		8
Ø4x20		M10	
⑤ 905761	PCS	⑥ 980123	PCS
	2		8
120x120x700		Ø7x60	
⑦ 909256	PCS		PCS
	8		
Ø16/8.4			
	PCS		PCS
	PCS		PCS

Boom options:



705566-602	Dark Brown
705566-603	Light Brown
705566-604	Gray






①	706041	PCS	②	705590	PCS
		1			1
				120x200x2294	
③	980114	PCS	④	905104	PCS
		4			8
	Ø4x20			M10	
⑤	905761	PCS	⑥	980123	PCS
		2			8
	120x120x700			Ø7x60	
⑦	909256	PCS			PCS
		8			
	Ø16/8.4				
		PCS			PCS
		PCS			PCS


Boom options:


	705590-602	Dark Brown
	705590-603	Light Brown
	705590-604	Gray
120x200x2294		






Area of Movement 14.6 m²
Training Space 7.7 m²
Max Falling Height 275 mm

1: 40






①	706051	PCS	②	705018	PCS
		1			1
				120x120x1170	
③	705330	PCS	④	705555	PCS
		1			1
	120x120x870				
⑤	980114	PCS	⑥	905104	PCS
		4			8
	Ø4x20			M10	
⑦	905761	PCS	⑧	905830	PCS
		2			2
	120x120x700			123x123x40	
⑨	980104	PCS	⑩	980123	PCS
		2			16
	Ø5x90			Ø7x60	
⑪	909256	PCS			PCS
		16			
	Ø16/8.4				
		PCS			PCS
		PCS			PCS







1: 25




Area of Movement 14.1 m²
Training Space 3.1 m²
Max Falling Height 0 mm

1: 40




												
<p>$h < 600$</p> <p>Without movement and therefore without Impact Area</p>	<p>Totally hard surfaces.</p> <p>Note. Lappset does <u>not recommend</u> totally hard surfaces at all.</p>	<p>E.g. concrete or asphalt</p> 										
<p>$h < 600$</p> <p>With movement e.g. rocking</p>	<p>Materials with very limited impact attenuating properties.</p>	<p>E.g. wood</p> 										
<p>$h < 1000$</p>	<p>Materials with significant impact attenuating properties.</p>	<p>fine gravel 0–8 mm</p>  <p>grass</p>  <p>unsorted sand</p> 										
<p>$h < 3000$</p>	<p>Loose fill material</p> <p>E.g. sand/gravel 0,25...8 mm D60/D10<3,0 Woodchips 5...30 mm bark 20...80 mm</p>	 <table data-bbox="1021 1691 1332 1792"> <tr> <td>\underline{S}</td> <td>\underline{h}</td> </tr> <tr> <td>30 cm</td> <td>< 2,0 m</td> </tr> <tr> <td>40 cm</td> <td>< 3,0 m</td> </tr> </table>	\underline{S}	\underline{h}	30 cm	< 2,0 m	40 cm	< 3,0 m				
\underline{S}	\underline{h}											
30 cm	< 2,0 m											
40 cm	< 3,0 m											
	<p>Syntethic granulates</p> <table data-bbox="406 1892 758 2060"> <tr> <td>\underline{S}</td> <td>\underline{h}</td> </tr> <tr> <td>40 mm</td> <td>~> 1,2...1,3 m</td> </tr> <tr> <td>50 mm</td> <td>~> 1,5...1,7 m</td> </tr> <tr> <td>60 mm</td> <td>~> 1,8...2,0 m</td> </tr> <tr> <td>70 mm</td> <td>~> 2,1...2,5 m</td> </tr> </table> <p>Note. For accurate values, see manufacturer's instructions.</p>	\underline{S}	\underline{h}	40 mm	~> 1,2...1,3 m	50 mm	~> 1,5...1,7 m	60 mm	~> 1,8...2,0 m	70 mm	~> 2,1...2,5 m	
\underline{S}	\underline{h}											
40 mm	~> 1,2...1,3 m											
50 mm	~> 1,5...1,7 m											
60 mm	~> 1,8...2,0 m											
70 mm	~> 2,1...2,5 m											

REMOVE SAFETY SURFACE/SAND/GRAVEL
TO CHECK FOUNDATION




REMOVE SAFETY SURFACE/SAND/GRAVEL
TO CHECK FOUNDATION




DET 1


$\varnothing 16 \downarrow > 130$




DET 2




DET 3









DET 4




DET 5




DET 6




DET 13




DET 14



DET 15









DET 16



DET 17

DET 18








LAPPSET SPORT


BASE

DATE: 29.4.2015


5(10)




DET 31




DET 32




DET 33




DET 34




DET 35




DET 36




DET 37




DET 38




DET 39



DET 40



DET 41









DET 42

LAPPSET SPORT


BASE

DATE: 15.8.2017


8(10)




DET 49




DET 50




DET 51




DET 52



DET 53



DET 54



LAPPSET SPORT


BASE

DATE: 29.4.2015

10(10)


DET 55

STEELNET Ø6 #150
(1400x2100)
Concrete
1500X2200X200 K30




NOTE!
HOX!


DET 56




DET 57




DET 58




DET 59




DET 1




DET 2




DET 3




DET 4









DET 5




DET 6







DET 13




DET 14




DET 15




DET 16




DET 17




DET 18




DET 19




DET 20




DET 21









DET 22




DET 23




DET 24




DET 31




DET 32




DET 33




DET 34




DET 35




DET 36




DET 37




DET 38




DET 39




DET 40















DET 41




DET 42









DET 55




DET 56



DET 57



DET 58



DET 59

DET 60