




—— EN/AS Impact Area 123.9 m²
---- Falling Space 173.2 m²
Max Falling Height 2530 mm








LAPPSET®






PARKOUR

ASENNUSOHJE
MONTERINGSANSVISNING
INSTALLATION INSTRUCTION
AUFBAUANLEITUNG
NOTICE D'INSTALLATION

DATE: 24.2.2015



220552





701985	PCS	702341	PCS	901991	PCS	902022	PCS	902134	PCS	904747	PCS
	5		1		2		3		12		35
		90x50		L 1493		L 710				60x60x2	
904130	PCS	904184	PCS	904389	PCS		PCS		PCS		PCS
	2		3		2						
L 2148		L 1493		L 2148							
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS



Copyright Lappset Group Ltd



— EN/AS Impact Area 23.6 m² (254 sq ft)
Grid size = 500mm (20" in)
- - - Falling Space 23.6 m² (254 sq ft)





- EN/AS Impact Area 23.6 m2 (254 sq ft)
- Falling Space 23.6 m2 (254 sq ft)
- Max Falling Height 1745 mm (5'-9" in)











DATE: 24.2.2015

1: 50


A




B





C



D



Max falling height.










		① 702341 90x50	PCS 1	② 704599 90x50	PCS 1
		③ 902134 	PCS 2	④ 902157 60x60x2	PCS 8
		⑤ 902424 L 1034	PCS 1	⑥ 904130 L 2148	PCS 2
		⑦ 902124 150x50x50	PCS 12	⑧ 980161 M10	PCS 12
		⑨ 902232 M10x55	PCS 6	⑩ 902233 M10x30	PCS 6
		⑪ 704829 15x913x993	PCS 1	⑬ 909855 M8x35	PCS 8
		⑭ 909256 Ø16/8.4x1.6	PCS 8	⑮ 909633 M8	PCS 8
		⑯ 909873 M8x40	PCS 8	704855-704866 NOT INCLUDED 8x560x640	PCS 1



LAPPSET
PARKOUR

220590


DATE: 24.5.2018






2(2)

DET 1  RIBBED BAR Ø8x300	DET 2  Concrete 500x500x200 R100 400	DET 3  M10x55 M10 902124 M10x30
DET 4  M10x55 M10x30 902124 M10	DET 5  NOTE: Various signs. HUOM: Useita erilaisia kylttejä. M8x35 (909855) Ø16/8.4x1.6 (909256) M8 (909633)	 NOTE: Use a wire marked pairs of the same junction. Huom! Käytä langalla merkittyä paria samassa liitoksessa.
OPTIONAL  Ø16/8.4x1.6 (909256) M8 (909633) M8x40 (909873)		



—— EN Impact Area 12.8 m² (137.8 sq ft)
---- Falling Space 12.8 m² (137.8 sq ft)
Max Falling Height 650 mm (2'-1 1/2" in)



① 701985	PCS	② 702341	PCS
	4		1
		90x50	
③ 702056	PCS	④ 902022	PCS
	1		4
		L 710	
⑤ 902134	PCS	⑥ 904132	PCS
	8		4
		L 400	
⑦ 904747	PCS		PCS
	28		
60x60x2			
	PCS		PCS
	PCS		PCS
	PCS		PCS
	PCS		PCS


LAPPSET®

PARKOUR







ASENNUSOHJE
MONTERINGSANSVISNING
INSTALLATION INSTRUCTION
AUFBAUANLEITUNG
NOTICE D'INSTALLATION

DATE: 21.03.2013



220530







DATE: 21.03.2013



702341  90x50	PCS 1	703456  	PCS 2	703459  	PCS 1	703638  	PCS 3	902134  	PCS 7	902157  60x60x2	PCS 21
902424  L 1034	PCS 9		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS

EN Impact Area 15 m² (161 sq ft)
Grid size = 500 mm (20" in)






EN Impact Area 15 m2 (161 sq ft)
Max falling height 1550 mm. (5'-1" in)






Max Falling Height 1550 mm








① 703645	PCS	② 909519	PCS
	1		1
		380x380	
③ 909638	PCS	④ 909639	PCS
	4		4
Ø20/10.5		M10x25	
⑤ 702341	PCS	⑥ 909637	PCS
	1		4
		M10	
	PCS		PCS
	PCS		PCS
	PCS		PCS





DET 1








DET 2








----- Falling Space 9.3 m2 (100 sq ft)
Max Falling Height 540 mm (1'-9" in)







① 703644	PCS	② 909519	PCS
	1		1
		380x380	
③ 909638	PCS	④ 909639	PCS
	4		4
Ø20/10.5		M10x25	
⑤ 702341	PCS	⑥ 909637	PCS
	1		4
		M10	
	PCS		PCS
	PCS		PCS
	PCS		PCS



----- Falling Space 9.3 m2 (100 sq ft)
Max Falling Height 540 mm (1'-9" in)




LAPPSET®

PARKOUR











ASENNUSOHJE
MONTERINGSANSVISNING
INSTALLATION INSTRUCTION
AUFBAUANLEITUNG
NOTICE D'INSTALLATION

DATE: 20.2.2015


220511



DATE: 20.2.2015

	PCS 10	 90x50	PCS 1		PCS 30	 60x60x2	PCS 94		PCS 4	 L 1034	PCS 10
 Ø44.5x1034	PCS 3	 44.5–60.3	PCS 10	 Ø44.5x2148	PCS 1	 Ø44.5x1073	PCS 8	 L 402	PCS 14	 M10x80	PCS 16
 L 2148	PCS 4	 Ø18/10.5	PCS 16		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS



Copyright Lappset Group Ltd







—— EN/AS Impact Area 39.5 m² (425 sq ft)

----- Falling Space 39.5 m² (425 sq ft)



Max Falling Height 2230 mm (7'-3 3/4" in)








DATE: 20.2.2015




DATE: 20.2.2015

1:50


A




B





C





D







DATE: 20.2.2015

1: 50






LAPPSET®

PARKOUR

ASENNUSOHJE
MONTERINGSANSVISNING
INSTALLATION INSTRUCTION
AUFBAUANLEITUNG
NOTICE D'INSTALLATION


DATE: 23.2.2015

220524







DATE: 23.2.2015

[illegible]




—— EN/AS Impact Area 48.7 (524.2 sq ft)
----- Falling Space 48.7 m2
Max Falling Height 2530 mm (8'-3 3/4" in)








A




B






1:50


A




B







C





D














Max falling height.








----- Falling Space 14 m2 (151 sq ft)
Max Falling Height 240 mm (10" in)




① 701985	PCS	② 702341	PCS
	1		1
		90x50	
③ 902134	PCS	④ 904747	PCS
	1		4
		60x60x2	
⑤ 904130	PCS		PCS
	1		
L 2148			
	PCS		PCS
	PCS		PCS
	PCS		PCS
	PCS		PCS
	PCS		PCS














----- Falling Space 10.6 m² (114 sq ft)
Max Falling Height 170 mm (7" in)




① 701985	PCS	② 702341	PCS
	1		1
90x50			
③ 902134	PCS	④ 902157	PCS
	1		4
60x60x2			
⑤ 902424	PCS		PCS
	1		
L 1034			
	PCS		PCS
	PCS		PCS
	PCS		PCS
	PCS		PCS







① 701985 	PCS	② 702341 	PCS
	2		1
③ 902134 	PCS	④ 902157 	PCS
	2		8
⑤ 902424 	PCS		PCS
	1		
	PCS		PCS
	PCS		PCS
	PCS		PCS
	PCS		PCS



— — — Falling Space 14.9 m2 (161.4 sq ft)
Max Falling Height 410 mm (1'-4" in)





	①	702252	PCS	②	702341	PCS
			2			1
				90x50		
	③	703460	PCS	④	901941	PCS
			3			2
						
	⑤	902134	PCS	⑥	902157	PCS
			3			11
				60x60x2		
			PCS			PCS
			PCS			PCS
			PCS			PCS
			PCS			PCS



Security plugs
are included
only for
selected
products.



Hoi!
Pultit on kiristettävä lopulliseen kireyteen,
ennen turvapinnien asennusta.

Note!
Tighten bolts properly,
before installing security plugs.






DET A Ø24/13 (980154) M12x30 (903149) M12 (909644) 80Nm (M12) M10 (900965) 45Nm (M10) M10x25 (909639) Ø20/10.5 (909638)	M12x30 2 pcs Ø24/13 4 pcs M12 2 pcs M10x25 2 pcs Ø20/10.5 4 pcs M10 2 pcs 905991 1 pcs
DET A1 905090 999561 GLUE Ø24/13 (980154) 12x35 (909347) 905115	M12x35 6 pcs Ø24/13 6 pcs Ø45 6 pcs Ø30 6 pcs GLUE
DET B Ø24/13 (980154) M12x30 (903149) M12 (909644) 80Nm M10 (900965) 45Nm M10x25 (909639) Ø20/10.5 (909638)	M12x30 2 pcs Ø24/13 4 pcs M12 2 pcs M10x25 2 pcs Ø20/10.5 4 pcs M10 2 pcs

DET B











DET B1





GLUE

DET C



DET D  90Nm M12x110 (906499) Ø24/13 (980154) 901958 M8x35 Ø24/13 (980154) M12 (902234) M8 CUT EXTRA CHAIN	 M12x110 2 pcs Ø24/13 4 pcs M12 2 pcs 901958 1 pcs
DET D  903577	 903577 1 pcs
DET E  6x60 980131	 980131 4 pcs 905138 1 pcs 905196 1 pcs


DET F



M12x120 6 pcs



Ø24/13 6 pcs




Ø44.5 6 pcs



M12 6 pcs


DET G



M12x120 6 pcs










Ø24/13 6 pcs




Ø44.5 6 pcs




M12 6 pcs

		
$h < 600$ Without movement and therefore without Impact Area	Totally hard surfaces.	E.g. concrete or asphalt 
$h < 600$ With movement e.g. rocking	Materials with very limited impact attenuating properties.	E.g. wood 
$h < 1000$	Materials with significant impact attenuating properties.	fine gravel 0–8 mm  grass  unsorted sand 
$h < 3000$	Loose fill material E.g. sand/gravel 0,25...8 mm D60/D10<3,0 Woodchips 5...30 mm bark 20...80 mm	 $\underline{S}$ 30 cm 40 cm $\underline{h}$ < 2,0 m < 3,0 m
	Syntethic granulates $\underline{S}$ 40 mm ~> 1,2...1,3 m 50 mm ~> 1,5...1,7 m 60 mm ~> 1,8...2,0 m 70 mm ~> 2,1...2,5 m Note. For accurate values, see manufacturer's instructions.	


REMOVE SAFETY SURFACE/SAND/GRAVEL
TO CHECK FOUNDATION




REMOVE SAFETY SURFACE/SAND/GRAVEL
TO CHECK FOUNDATION



DET 1




DET 2




DET 3


DET 4




DET 5




DET 6




DET 7




DET 8




DET 9




DET 10




DET 11




DET 12




DET 13




DET 14




DET 15




DET 16




DET 17




DET 18




DET 19




DET 20



DET 21




DET 22



DET 23

DET 24



DET 25-26

M12x120

904100


904015

904102

Kun putken pää osuu adapterin kynsiin, adapteri tiukentuu paikoilleen.

Asennusjärjestys:

- 1) Pallo kiinni
- 2) Adapteri sisään
- 3) putki sisään ja lopuksi pallon lopullinen kiristys.



Installation order:


- 1) Close the ball
- 2) Insert adapter
- 3) Insert tube and tighten screws.

DET 27

904103

Ø18/10

M10x80



DET 28

906621

M12x35
(909347)


M12

906620

Ø24/13

M12x30
(903149)

M12 → 60 Nm



DET 29




M10x50 (905140)

Ø20/10.5x2 (901302)

M10 (909637)

DET 30



M10x35 (902252)

19x21x25 (903193)

Ø20/10.5x2 (901302)

M10 (909637)

DET 31

M12 → 60 Nm


M12x30

Ø24/13

M10 → 45 Nm

M12

904422



DET 32


M12 → 60 Nm

M12x100

Ø24/13

M12

904422



DET 33


M12

904801

904428


904430

904904




DET 34

904800



DET 35




M12x110

DET 36

DET 1	DET 2	DET 3
DET 4	DET 5	DET 6
DET 7	DET 8	DET 9
DET 10	DET 11	DET 12

DET 13




DET 14




DET 15




DET 16




DET 17




DET 18




DET 19




DET 20




DET 21




DET 22



DET 23



DET 24



DET 25	DET 26	DET 27
DET 28	DET 29	DET 30
DET 31	DET 32	DET 33
DET 34	DET 35	DET 36