


LAPPSET®

CLOVER

ASENNUSOHJE
MONTERINGSANSVISNING
INSTALLATION INSTRUCTION
AUFBAUANLEITUNG
NOTICE D'INSTALLATION

DATE: 9.10.2018


Q10845







Copyright Lappset Group Ltd





008986	PCS 1		702286	PCS 1		703130	PCS 1		706371-704	PCS 2		706439	PCS 5		706441	PCS 4
750x750		65x65						15x345x750			L 704			93x93x1550		
706443	PCS 2		706452-604	PCS 1		706505	PCS 2		706511	PCS 4		706514	PCS 2		706531	PCS 8
32x45x702		600x780x1470			35x70x730			93x93x1870			70x120x1504					
706533	PCS 1		706535	PCS 1		706746	PCS 2		706748	PCS 2		707133	PCS 1		707323	PCS 1
					45x640x701						10x80x745					
900240	PCS 20		901868	PCS 3		901879	PCS 2		903093	PCS 28		905138	PCS 8		905196	PCS 8
Ø8x70		Ø34x598						Ø8x90			GRAY			GRAY		
907694-216	PCS 5		909506	PCS 4		909511	PCS 8		909519	PCS 8		909521	PCS 2		980131	PCS 32
L 704		Ø3.5x13			90x90x650			50x380x380						Ø6x60		
	PCS			PCS						PCS			PCS			
	PCS			PCS						PCS			PCS			



Copyright Lappset Group Ltd











	 Ø7x40 901879 Hox! Slide sheet gap Liukupelti rako.	 M12x40 Ø24/13
		

—— EN/AS Impact Area 31.1 m²
 - - - - Falling Space 34 m²
 Max Falling Height 1920 mm








DET 1 	DET 2 	DET 3 	DET 4 
DET 5 	DET 5 		




1:50













DATE: 9.10.2018


1:50







		
h < 600 Without movement and therefore without Impact Area	Totally hard surfaces.	E.g. concrete or asphalt 
h < 600 With movement e.g. rocking	Materials with very limited impact attenuating properties.	E.g. wood 
h < 1000	Materials with significant impact attenuating properties.	fine gravel 0–8 mm  grass  unsorted sand 
h < 3000	Loose fill material E.g. sand/gravel 0,25...8 mm D60/D10<3,0 Woodchips 5...30 mm bark 20...80 mm	 $\underline{S}$ 30 cm $\underline{h}$ < 2,0 m 40 cm < 3,0 m
	Syntethic granulates $\underline{S}$ 40 mm ~> 1,2...1,3 m 50 mm ~> 1,5...1,7 m 60 mm ~> 1,8...2,0 m 70 mm ~> 2,1...2,5 m Note. For accurate values, see manufacturer's instructions.	


REMOVE SAFETY SURFACE/SAND/GRAVEL
TO CHECK FOUNDATION




REMOVE SAFETY SURFACE/SAND/GRAVEL
TO CHECK FOUNDATION





② 905104  M10	PCS		PCS
	4		
	PCS		PCS




905104

LAPPSET®
DEEP FOUNDATION


FOOT


DATE: 15.5.2018

1(1)





① 909511	PCS	② 909519	PCS
	1		1
90x90x650		50x380x380	
③ 909637	PCS	④ 909638	PCS
	4		8
M10		Ø20/10.5	
⑤ 909639	PCS	⑥ 905104	PCS
	4		4
M10x25		M10	
OPTION FOOT			
① 911155	PCS		PCS
	1		
90x90x650			






SLIDE OPTIONS

706450 +1470 	706450-602 DARK BROWN 706450-603 LIGHT BROWN 706450-604 LIGHT GRAY	
706452 +870 	706452-602 DARK BROWN 706452-603 LIGHT BROWN 706452-604 LIGHT GRAY	

WALL OPTIONS








706371 	706371-701 BLUE 706371-702 YELLOW 706371-703 LIME 706371-704 DARK GRAY 706371-705 LIGHT GRAY 706371-706 RED	706371-707 GREEN 706371-708 FUXIA
---	---	---


 LAPPSET
80M

SLIDE WOOD


DATE: 3.11.2017

2(5)


 +1470	PCS 1	 +870	PCS 1	 15x345x750	PCS 2	 35x70x730	PCS 2	 Ø34x598	PCS 1	 Ø8x90	PCS 2
 M8x40	PCS 2	 Ø5x60	PCS 12	 Ø7x40	PCS 11	 10g	PCS 1				




DET 1




DET 2




DET 3



DET 4



DET 5







 LAPPSET
DEEP FOUNDATION

SLIDE WOOD


DATE: 3.11.2017

4(5)


○ 707133	PCS	○ 901868	PCS	○ 901879	PCS	⑥ 909210	PCS	⑦ 905051	PCS	⑧ 980128	PCS
	1		2		2		4		4		6
10x80x745		Ø30x598				M8x40		Ø24/8.4		Ø7x40	




DET 6




Insert sheet metal IN to the plastic cover.







DET 7




DET 8






① 008986	PCS	② 706443	PCS
	1		2
750x750		32x45x702	
③ 900240	PCS	④ 980101	PCS
	6		8
Ø8x70		Ø4.5x70	
	PCS		PCS
	PCS		PCS
	PCS		PCS

DET 1




DET 2

Naulanauha kannatinlistan puolelle.
Nail list to the bottom.



DET 3



706746

DET 2, 3

DET 1




① 706746	PCS	② 909530	PCS
	1		4
45x640x701		55.9x127.5	
③ 900240	PCS	④ 980151	PCS
	4		4
Ø8x70		Ø16/8.4x1.6	
⑤ 905112	PCS		PCS
	4		
Ø22			
	PCS		PCS



80

720


800

WALL OPTIONS		
706746	706746-605	DARK GRAY
	706746-606	GRAY
	706746-607	RED
	706746-608	BLUE
	706746-609	GREEN
	706746-610	YELLOW
	706746-611	LIME
45x640x701	706746-612	FUXIA


DET 1 	DET 2 
DET 3 	




DET 1




DET 2




DET 3




DET 4




DET 5





DET 6







STAIRS OPTIONS +870											
707191 		707191-602 DARK BROWN 707191-603 LIGHT BROWN 707191-604 LIGHT GRAY									
RAILING OPTIONS											
RAILS 707146  15x145x1153		707146-701 BLUE 707146-702 YELLOW 707146-703 LIME 707146-704 DARK GRAY 707146-705 LIGHT GRAY 707146-706 RED		707146-707 GREEN 707146-708 FUXIA							
POST 707145  43x93x717		707145-602 DARK BROWN 707145-603 LIGHT BROWN 707145-604 LIGHT GRAY									
POST OPTIONS											



① 909511	PCS	② 909519	PCS
	1		1
③ 909637	PCS	④ 909638	PCS
	4		8
M10		Ø20/10.5	
⑤ 909639	PCS		PCS
	4		
M10x25			
	PCS		PCS
	PCS		PCS
	PCS		PCS
	PCS		PCS
	PCS		PCS





Tuotekyltti tulee tuotteen mukana yhdellä seuraavista tavoista:

1) Metallinen tuotekyltti ja kiinnitysruuvit

- Kiinnitä tuotekyltti ruuveilla tolppaan noin 2 metrin korkeuteen kuvan 1 mukaisesti.

2) Tuotekyltitarra

- Puhdista maalattu metalli- tai vaneripinta pölystä ja kosteudesta. Liimaa tarra kuvan 2 mukaisesti.
- Huom. Älä kiinnitä tarraa karheapintaiseen laminaattiin tai maalattuun puuhun.

Vår produktmärkning levereras på ett av följande sätt:

1) Produktskylt i metall

- Fäst skylten med de medföljande skruvarna

2) Självhäftande produktetikett

- Rengör den pulverlackerade metallytan eller laminatyten så att den blir fri från smuts och fukt. Fäst etiketten enligt fig. 2.
- Obs! Fäst ej etiketten på detaljer med skrovlig yta eller på målat trä.

Product label is delivered by one of following ways:

1) Metal product label and screws

- Fasten the label with screws.

2) Label sticker

- Clean the painted metal or plywood surface from dirt and moisture. Fasten the sticker as shown in the figure 2.
- Note. Do not attach the sticker to rough surfaced laminate or painted wood.

La plaque d'informations produit est livrée sous l'une de ces 3 formes :

1) Plaque métallique et vis

- Fixez la plaque à l'aide des vis.

2) Etiquette autocollante

- Avant de coller l'étiquette, nettoyez le composant métallique peint ou la plaque de contreplaqué, de toute saleté. La surface doit être sèche (voir image 2).
- Attention, ne pas coller l'étiquette sur une surface lamellé-collée irrégulière ou sur du bois peint.


Die Auslieferung des Produktaufklebers erfolgt auf eine dieser Arten:

1) Produkt-Schild aus Metall incl. Schrauben






- Die Befestigung des Schildes erfolgt mittels der Schrauben.

2) Aufkleber

- Entfernen Sie zunächst Schmutz und Feuchtigkeit vom lackierten Metall bzw. von der Holzoberfläche und bringen Sie den Aufkleber wie im Bild oben rechts beschrieben auf den gesäuberten Untergrund auf.
- Beachten Sie: Bringen Sie den Aufkleber nicht auf raues laminiertes oder lackiertes Holz an.



① 703325 95x95x1530	PCS	② 703338 45x95x724	PCS
	2		3
③ 905051 Ø24/8.4	PCS	④ 905104 M10	PCS
	16		8
⑤ 909231 8x130	PCS	⑥ 909233 8x100	PCS
	2		2
⑦ 909238 8x90	PCS	⑧ 909511 90x90x650	PCS
	12		2
⑨ 909519 50x380x380	PCS	⑩ 909637 M10	PCS
	2		8
⑪ 909638 Ø20/10,5	PCS	⑫ 909639 M10x25	PCS
	16		8
	PCS		PCS
	PCS		PCS

DET 1 	DET 2 	DET 3 
DET 4 	DET 5 	DET 6 