


LAPPSET®

DASH PARKOUR

ASENNUSOHJE
MONTERINGSANSVISNING
INSTALLATION INSTRUCTION
AUFBAUANLEITUNG
NOTICE D'INSTALLATION


DATE: 29.3.2021

081788M







Copyright Lappset Group Ltd

[illegible]






— Falling Space 106.8 m²
Max Falling Height 1575 mm











Groundmarks















① 702286	PCS	② 707210	PCS
	1		2
65x65		118x118x503	
③ 707212	PCS	④ 708347	PCS
	1		1
118x118x1254		118x118x231	
⑤ 708443	PCS	⑥ 712621	PCS
	2		1
118x118x352		16x346x745	



⑦ 712622	PCS	⑧ 712625	PCS
	1		1
16x346x745		16x148x745	
⑨ 712626	PCS	⑩ 708857 JIG	PCS
	1		1
16x118x1365		20x133x149	


INSTALLATION OF A SECOND HAND




⑪ 910266	PCS	⑫ 900240	PCS
	2		16
90x108x118		Ø8x70	
⑬ 903093	PCS	⑭ 905103	PCS
	4		2
Ø8x90		PT-28/32-H	
⑮ 905112	PCS	⑯ 908698	PCS
	4		4
Ø22		3x114x108	


17	980100	PCS	18	980114	PCS	19	980123	PCS
		28			4			25
								
Ø5x60			Ø4x20			Ø7x60		

FOOT OPTIONS


709261+		709262+	
910267	PCS	910567	PCS
SURFACE	3	CONCRETE	3
			
152x200x200		117x117x715	

----- Falling Space 13.8 m2
Max Falling Height 530 mm







DET 1




DET 2





DET 3



DET 4



DET 5



JIG DET A (USE DET 2-4)

NOTE:





Use drill jig 708857
to predrill Ø5 ∇ 50
holes for 910266
and 908698







708857

910266


908698

Ø5 ∇ 50




① 702286	PCS	② 707210	PCS
	1		8
65x65		118x118x503	
③ 707213	PCS	④ 708042	PCS
	4		2
118x118x1490		118x118x1185	
⑤ 708125	PCS	⑥ 708127	PCS
	2		2
118x118x1326		118x118x603	
⑦ 708137	PCS	⑧ 712612	PCS
	2		2
118x118x745		16x745x1766	
⑨ 712610	PCS	⑩ 712609	PCS
	1		1
16x745x1185		16x745x1326	
⑪ 712608	PCS	⑫ 712607	PCS
	1		1
16x603x745		16x745x745	
⑬ 708834	PCS	⑭ 708835	PCS
	1		1
16x745x469		16x745x611	
⑮ 708857 JIG	PCS	⑯ 709204	PCS
	1		1
20x133x149		15x745x1495	


17 911303 COLOR 15x745x1495	PCS 1	18 911305 COLOR 15x745x1192	PCS 1	19 911307 COLOR 15x745x1050	PCS 1	20 900240 Ø8x70	PCS 76	21 903093 Ø8x90	PCS 20	22 903533 SRL12	PCS 6
23 980114 Ø4x20	PCS 4	24 905103 PT-28/32-H	PCS 16	25 905112 Ø22	PCS 16	26 908371 42-38/40	PCS 2	27 908698 3x114x108	PCS 16	28 980100 Ø5x60	PCS 96
29 910328 L 1466	PCS 1	30 910056 140x690	PCS 1	31 910266 90x108x118	PCS 8	32 980123 Ø7x60	PCS 91	FOOT OPTIONS 709261+ 910267 SURFACE 152x200x200 709262+ 910567 CONCRETE 117x117x715			




----- Falling Space 23.5 m2
Max Falling Height 1500 mm




DET 1




DET 2




DET 3




DET 4




DET 5




DET 6




DET 7




DET 8




DET 9 DRILL PREHOLES
Ø6mm BEFORE
INSTALLING HANDLES




DET 10







JIG DET A (USE DET 2-3)

NOTE:
Use drill jig 708857
to predrill $\varnothing 5 \nabla 50$
holes for 910266
and 908698



JIG DET B (USE DET 9)





JIG DET A (USE DET 2-3)


NOTE:


Use drill jig 708857
to predrill Ø5 ∇ 50
holes for 910266
and 908698



708857

910266

908698








① 702341	PCS	② 709381	PCS
	1		2
90x50		SURFACE	
		③ 910219	PCS
			1
		120x120x200	

FOOT OPTION FOR
DEEP MOUNTING



709379+	
○ 902564	PCS
	1
L 550	





----- Falling Space 8.2 m2
Max Falling Height 200 mm



Shadow lines








① 702341	PCS	② 709381	PCS
	1		2
90x50		SURFACE	
		③ 910220	PCS
			1
		300x470x662	



FOOT OPTION FOR DEEP MOUNTING


709379+	
○ 902564	PCS
	2
L 550	




----- Falling Space 10.8 m2
Max Falling Height 300 mm













① 702341	PCS	② 910253	PCS
	1		1
90x50		Ø60x376x2290	
③ 903533	PCS		PCS
	4		
SRL12			


----- Falling Space 14.2 m2
Max Falling Height 380 mm









DET 1











① 702341	PCS	② 900965	PCS
	1		1
 90x50		 M10	
③ 903533	PCS	④ 904133	PCS
	4		1
 SRL12		 M10x80	
⑤ 908069	PCS	⑥ 909111	PCS
	1		1
 Ø60x87.6		 M12x100	
⑦ 909248	PCS	⑧ 909638	PCS
	1		4
 M12		 Ø20/10.5	
⑨ 910255	PCS	⑩ 910262	PCS
	1		1
 Ø60x950x2290		 Ø60x435x795	
⑪ 980154	PCS		PCS
	1		
 Ø24/13			




----- Falling Space 16.2 m2
Max Falling Height 950 mm







① 900965	PCS	② 903533	PCS
	4		8
M10		SRL12	
③ 904133	PCS	④ 909638	PCS
	4		8
M10x80		Ø20/10.5	
⑤ 910052	PCS	⑥ 910054	PCS
	2		1
53x53x120		390x780x2282	
⑦ 910055	PCS	⑧ 702341	PCS
	1		1
390x780x2282		90x50	





	PCS		PCS
	PCS		PCS




DET 1









----- Falling Space 22 m2
Max Falling Height 390 mm






① 702341	PCS	② 707213	PCS
	1		4
90x50		118x118x1490	
③ 707517	PCS	④ 708137	PCS
	4		4
118x118x1892		118x118x745	
⑤ 713175	PCS	⑥ 713172	PCS
	2		2
16x745x1736		16x745x2168	
⑦ 712633	PCS	⑧ 712634	PCS
	1		2
16x745x1897		16x148x2018	
⑨ 712635	PCS	⑩ 708857 JIG	PCS
	2		1
16x148x1616		20x133x149	
⑪ 980154	PCS	⑫ 900240	PCS
	1		64
Ø24/13		Ø8x70	
⑬ 900965	PCS	⑭ 903093	PCS
	1		44
M10		Ø8x90	
⑮ 903533	PCS	⑯ 904133	PCS
	4		1
SRL12		M10x80	

17	905103	PCS	16	18	905112	PCS	32	19	908069	PCS	1	20	909111	PCS	1	21	909248	PCS	1	22	909638	PCS	4
																							
	PT-28/32-H				Ø22				Ø60x87.6				M12x100				M12				Ø20/10.5		
23	910254	PCS	1	24	910262	PCS	1	25	910266	PCS	16	26	980123	PCS	108	27	911288 COLOR	PCS	2	28	911289 COLOR	PCS	1
																							
	Ø60x650x1290				Ø60x435x795				90x108x118				Ø7x60		26		15x745x1465				15x745x1897		
		PCS				PCS				PCS				PCS									


FOOT OPTIONS

709261+


709262+

910330	PCS	910567	PCS
SURFACE	4	CONCRETE	4
			
152x200x200		117x117x715	


----- Falling Space 22.7 m²
Max Falling Height 1580 mm




DET 1




DET 2




DET 3








DET 4



DET 5



											
h < 1600	Totally hard surfaces or materials with very limited impact attenuating properties.  Case by case risk assessment is needed including e.g. evaluation whether there is forced movement, what is the intended exercise and where will the product be installed. Materials with significant impact attenuating properties.  fine gravel 0–8 mm  Unsorted sand/ topsoil  Lawn 										
h = 1600- h < 3000	Loose fill material E.g. sand/gravel 0,25...8 mm D60/D10<3,0 Woodchips 5...30 mm bark 20...80 mm  $\frac{S}{30 \text{ cm}}$$\frac{h}{< 3,0 \text{ m}}$ Syntethic granulates <table><tr><td>$\frac{S}{40 \text{ mm}}$</td><td>$\sim > 1,6... \sim < 1,8 \text{ m}$</td></tr><tr><td>$\frac{S}{50 \text{ mm}}$</td><td>$\sim > 1,8... \sim < 2,25 \text{ m}$</td></tr><tr><td>$\frac{S}{55 \text{ mm}}$</td><td>$\sim > 2,25... \sim < 2,4 \text{ m}$</td></tr><tr><td>$\frac{S}{60 \text{ mm}}$</td><td>$\sim > 2,4... \sim < 2,55 \text{ m}$</td></tr><tr><td>$\frac{S}{70 \text{ mm}}$</td><td>$\sim > 2,55... \sim < 3,0 \text{ m}$</td></tr></table> Note. For accurate values, see manufacturer's instructions. 	$\frac{S}{40 \text{ mm}}$	$\sim > 1,6... \sim < 1,8 \text{ m}$	$\frac{S}{50 \text{ mm}}$	$\sim > 1,8... \sim < 2,25 \text{ m}$	$\frac{S}{55 \text{ mm}}$	$\sim > 2,25... \sim < 2,4 \text{ m}$	$\frac{S}{60 \text{ mm}}$	$\sim > 2,4... \sim < 2,55 \text{ m}$	$\frac{S}{70 \text{ mm}}$	$\sim > 2,55... \sim < 3,0 \text{ m}$
$\frac{S}{40 \text{ mm}}$	$\sim > 1,6... \sim < 1,8 \text{ m}$										
$\frac{S}{50 \text{ mm}}$	$\sim > 1,8... \sim < 2,25 \text{ m}$										
$\frac{S}{55 \text{ mm}}$	$\sim > 2,25... \sim < 2,4 \text{ m}$										
$\frac{S}{60 \text{ mm}}$	$\sim > 2,4... \sim < 2,55 \text{ m}$										
$\frac{S}{70 \text{ mm}}$	$\sim > 2,55... \sim < 3,0 \text{ m}$										