


LAPPSET®

DASH PARKOUR










ASENNUSOHJE
MONTERINGSANSVISNING
INSTALLATION INSTRUCTION
AUFBAUANLEITUNG
NOTICE D'INSTALLATION



DATE: 16.1.2020

081782M






DATE: 16.1.2020


081700M 	PCS 1	081710M 	PCS 1	081711M 	PCS 1	081712M 	PCS 1	081720M 	PCS 1	081728M 	PCS 1
081732M 	PCS 1	081736M 	PCS 1	081750M 	PCS 1						
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS




— Falling Space 119.1 m2
Max Falling Height 2450 mm



1:100











Groundmarks
















① 702286	PCS	② 707210	PCS
	1		2
65x65		118x118x503	
③ 707212	PCS	④ 708347	PCS
	1		1
118x118x1254		118x118x231	
⑤ 708443	PCS	⑥ 712621	PCS
	2		1
118x118x352		16x346x745	



⑦ 712622	PCS	⑧ 712625	PCS
	1		1
16x346x745		16x148x745	
⑨ 712626	PCS	⑩ 708857 JIG	PCS
	1		1
16x118x1365		20x133x149	


INSTALLATION OF A SECOND HAND




⑪ 910266	PCS	⑫ 900240	PCS
	2		16
90x108x118		Ø8x70	
⑬ 903093	PCS	⑭ 905103	PCS
	4		2
Ø8x90		PT-28/32-H	
⑮ 905112	PCS	⑯ 908698	PCS
	4		4
Ø22		3x114x108	


17	980100	PCS	18	980114	PCS	19	980123	PCS
		28			4			25
								
Ø5x60			Ø4x20			Ø7x60		

FOOT OPTIONS


709261+		709262+	
910267	PCS	910567	PCS
SURFACE	3	CONCRETE	3
			
152x200x200		117x117x715	

----- Falling Space 13.8 m2
Max Falling Height 530 mm







DET 1




DET 2





DET 3



DET 4



DET 5



JIG DET A (USE DET 2-4)

NOTE:




Use drill jig 708857
to predrill Ø5 ∇ 50
holes for 910266
and 908698






708857










910266


908698

Ø5 ∇ 50




① 702286	PCS	② 707210	PCS
	1		8
65x65		118x118x503	
③ 707213	PCS	④ 708042	PCS
	4		2
118x118x1490		118x118x1185	
⑤ 708125	PCS	⑥ 708127	PCS
	2		2
118x118x1326		118x118x603	
⑦ 708137	PCS	⑧ 712612	PCS
	2		2
118x118x745		16x745x1766	
⑨ 712610	PCS	⑩ 712609	PCS
	1		1
16x745x1185		16x745x1326	
⑪ 712608	PCS	⑫ 712607	PCS
	1		1
16x603x745		16x745x745	
⑬ 708834	PCS	⑭ 708835	PCS
	1		1
16x745x469		16x745x611	
⑮ 708857 JIG	PCS	⑯ 709204	PCS
	1		1
20x133x149		15x745x1495	


(17) 911303 COLOR	PCS 1	(18) 911305 COLOR	PCS 1	(19) 911307 COLOR	PCS 1	(20) 900240	PCS 76	(21) 903093	PCS 20	(22) 903533	PCS 6
											
15x745x1495		15x745x1192		15x745x1050		Ø8x70		Ø8x90		SRL12	
(23) 980114	PCS 4	(24) 905103	PCS 16	(25) 905112	PCS 16	(26) 908371	PCS 2	(27) 908698	PCS 16	(28) 980100	PCS 96
											
Ø4x20		PT-28/32-H		Ø22		42-38/40		3x114x108		Ø5x60	
(29) 910328	PCS 1	(30) 910056	PCS 1	(31) 910266	PCS 8	(32) 980123	PCS 91	FOOT OPTIONS			
											
L 1466		140x690		90x108x118		Ø7x60					
								709261+ 709262+			
								910267 SURFACE  152x200x200 910567 CONCRETE  117x117x715			




----- Falling Space 23.5 m2
Max Falling Height 1500 mm




DET 1




DET 2




DET 3




DET 4




DET 5




DET 6




DET 7




DET 8




DET 9 DRILL PREHOLES
Ø6mm BEFORE
INSTALLING HANDLES




DET 10







JIG DET A (USE DET 2-3)

NOTE:
Use drill jig 708857
to predrill Ø5 ∇ 50
holes for 910266
and 908698



JIG DET B (USE DET 9)





JIG DET A (USE DET 2-3)

NOTE:


Use drill jig 708857
to predrill Ø5 ∇ 50
holes for 910266
and 908698



708857

910266

908698


Ø5 ∇ 50





① 702341	PCS	② 709381	PCS
	1		2
90x50		SURFACE	
		③ 910219	PCS
			1
		120x120x200	

FOOT OPTION FOR
DEEP MOUNTING



709379+	
○ 902564	PCS
	1
L 550	




----- Falling Space 8.2 m2
Max Falling Height 200 mm





Shadow lines









① 702341	PCS	② 910253	PCS
	1		1
90x50		Ø60x376x2290	
③ 903533	PCS		PCS
	4		
SRL12			


----- Falling Space 14.2 m2
Max Falling Height 380 mm







DET 1









① 702341	PCS	② 900965	PCS
	1		1
90x50		M10	
③ 903533	PCS	④ 904133	PCS
	4		1
SRL12		M10x80	
⑤ 908069	PCS	⑥ 909111	PCS
	1		1
Ø60x87.6		M12x100	
⑦ 909248	PCS	⑧ 909638	PCS
	1		4
M12		Ø20/10.5	
⑨ 910254	PCS	⑩ 910262	PCS
	1		1
Ø60x650x1290		Ø60x435x795	
⑪ 980154	PCS		PCS
	1		
Ø24/13			


FOOT OPTION FOR
DEEP MOUNTING

709379+	
○ 902564	PCS
	3
L 550	








----- Falling Space 13.1 m2
Max Falling Height 650 mm







OPTION LEFT-HANDED





①	702341	PCS 1		②	900965	PCS 1	
							
90x50				M10			
③	903533	PCS 4		④	904133	PCS 1	
							
SRL12				M10x80			
⑤	908069	PCS 1		⑥	909111	PCS 1	
							
Ø60x87.6				M12x100			
⑦	909248	PCS 1		⑧	909638	PCS 4	
							
M12				Ø20/10.5			
⑨	910255	PCS 1		⑩	910262	PCS 1	
							
Ø60x950x2290				Ø60x435x795			
⑪	980154	PCS 1				PCS	
							
Ø24/13							











DET 1








----- Falling Space 16.2 m2
Max Falling Height 950 mm






① 702341	PCS	② 707213	PCS
	1		4
90x50		118x118x1490	
③ 707517	PCS	④ 708137	PCS
	4		4
118x118x1892		118x118x745	
⑤ 713175	PCS	⑥ 713172	PCS
	2		2
16x745x1736		16x745x2168	
⑦ 712633	PCS	⑧ 712634	PCS
	1		2
16x745x1897		16x148x2018	
⑨ 712635	PCS	⑩ 708857 JIG	PCS
	2		1
16x148x1616		20x133x149	
⑪ 980154	PCS	⑫ 900240	PCS
	1		64
Ø24/13		Ø8x70	
⑬ 900965	PCS	⑭ 903093	PCS
	1		44
M10		Ø8x90	
⑮ 903533	PCS	⑯ 904133	PCS
	4		1
SRL12		M10x80	

17	905103	PCS	16	18	905112	PCS	32	19	908069	PCS	1	20	909111	PCS	1	21	909248	PCS	1	22	909638	PCS	4
																							
	PT-28/32-H				Ø22				Ø60x87.6				M12x100				M12				Ø20/10.5		
23	910254	PCS	1	24	910262	PCS	1	25	910266	PCS	16	26	980123	PCS	108	27	911288 COLOR	PCS	2	28	911289 COLOR	PCS	1
																							
	Ø60x650x1290				Ø60x435x795				90x108x118				Ø7x60		26		15x745x1465				15x745x1897		
		PCS				PCS				PCS				PCS									


FOOT OPTIONS

709261+


709262+

910330 SURFACE	PCS	4	910567 CONCRETE	PCS	4
					
152x200x200			117x117x715		


----- Falling Space 22.7 m²
Max Falling Height 1580 mm




DET 1




DET 2




DET 3









DET 4









DET 5






① 707210	PCS	② 707213	PCS
	4		2
118x118x503		118x118x1490	
③ 708522	PCS	④ 708688	PCS
	2		2
118x118x2139		118x118x2279	
⑤ 712612	PCS	⑥ 712611	PCS
	1		1
16x745x1766		16x745x2280	
⑦ 708857 JIG	PCS	⑧ 911297 MURAL	PCS
	1		1
20x133x149		12x745x2140	
⑨ 911293 COLOR	PCS	⑩ 911295 COLOR	PCS
	1		1
15x745x2145		15x745x2004	
⑪ 911301 COLOR	PCS	⑫ 900240	PCS
	1		56
15x745x1495		Ø8x70	
⑬ 903093	PCS	⑭ 905103	PCS
	8		8
Ø8x90		PT-28/32-H	
⑮ 905112	PCS	⑯ 908371	PCS
	8		4
Ø22		42-38/40	




17	908698	PCS	18	910056	PCS	19	910266	PCS	20	910328	PCS	21	980100	PCS	22	980123	PCS			PCS
	8			2			4			2			48			56				
3x114x108			140x690			90x108x118			L 1466			Ø5x60			Ø7x60					


23	702286	PCS	24	980114	PCS	FOOT OPTIONS													
	1			4		709261+		709262+											
65x65			Ø4x20			910267		910567											
						SURFACE		CONCRETE											
																			
						152x200x200		117x117x715											

—— EN Impact Attenuating Surface (IAS) 26.3 m2
 ---- Falling Space 26.3 m2
 Max Falling Height 2450 mm


1:50
 0 2




DET 1




DET 2




DET 3




DET 4




DET 5




DET 6




DET 7




DET 8




DET 9



DET 10 DRILL PREHOLES BEFORE INSTALLING HANDLES





JIG DET A (USE DET 2-3)

NOTE:

Use drill jig 708857 to predrill $\varnothing 5 \nabla 50$ holes for 910266 and 908698

708857

910266

908698

$\varnothing 5 \nabla 50$

JIG DET B (USE DET 9, 10)

Plywood

Frame





708857



910056


$\varnothing 8 \times 70$


(900240)

$\varnothing 8 \nabla 15$



(1) 702341	PCS 1	(2) 704879	PCS 10
			
90x50		3x30x120mm	
(3) 708880	PCS 10	(4) 980151	PCS 8
			
Ø77x20		Ø16/8.4	
(5) 904133	PCS 20	(6) 909258	PCS 8
			
M10x80		M8x55	
(7) 909633	PCS 8	(8) 910547	PCS 2
			
M8		Ø42.4x1200	
(9) 910549	PCS 4	(10) 910556	PCS 6
			
Ø42.4x286x2042		L 2400	
(11) 910557	PCS 10	(12) 910563	PCS 2
			
10x45x87		L 2100	
(13) 910564	PCS 2	(14) 910704	PCS 2
			
L 1100		Ø42.4x2600	





—— EN Impact Attenuating Surface (IAS) 45.7 m2
---- Falling Space 45.7 m2
Max Falling Height 2410 mm









INSTALLING FOR
SURFACE MOUNTING

709396	PCS
10	

FOOT OPTION FOR
DEEP MOUNTING

709397+	
910562	PCS
10	
L 600	



													
$h < 1600$	Totally hard surfaces or materials with very limited impact attenuating properties. Case by case risk assessment is needed including e.g. evaluation whether there is forced movement, what is the intended exercise and where will the product be installed. Materials with significant impact attenuating properties. Totally hard surfaces. E.g. concrete or asphalt  Materials with very limited impact attenuating properties. E.g. wood  fine gravel 0–8 mm  Unsorted sand/ topsoil  Lawn 												
$h = 1600-$ $h < 3000$	Loose fill material E.g. sand/gravel 0,25...8 mm D60/D10<3,0 Woodchips 5...30 mm bark 20...80 mm  $\underline{S}$ 30 cm $\underline{h}$ < 3,0 m Syntethic granulates <table><tr><td>$\underline{S}$</td><td>$\underline{h}$</td></tr><tr><td>40 mm ~></td><td>1,6...~< 1,8 m</td></tr><tr><td>50 mm ~></td><td>1,8...~< 2,25 m</td></tr><tr><td>55 mm ~></td><td>2,25...~< 2,4 m</td></tr><tr><td>60 mm ~></td><td>2,4...~< 2,55 m</td></tr><tr><td>70 mm ~></td><td>2,55...~< 3,0 m</td></tr></table> Note. For accurate values, see manufacturer's instructions. 	$\underline{S}$	$\underline{h}$	40 mm ~>	1,6...~< 1,8 m	50 mm ~>	1,8...~< 2,25 m	55 mm ~>	2,25...~< 2,4 m	60 mm ~>	2,4...~< 2,55 m	70 mm ~>	2,55...~< 3,0 m
$\underline{S}$	$\underline{h}$												
40 mm ~>	1,6...~< 1,8 m												
50 mm ~>	1,8...~< 2,25 m												
55 mm ~>	2,25...~< 2,4 m												
60 mm ~>	2,4...~< 2,55 m												
70 mm ~>	2,55...~< 3,0 m												