


LAPPSET®

DASH PARKOUR


ASENNUSOHJE
MONTERINGSANSVISNING
INSTALLATION INSTRUCTION
AUFBAUANLEITUNG
NOTICE D'INSTALLATION



DATE: 24.2.2021

081786M






Copyright Lappset Group Ltd






— EN Impact Attenuating Surface (IAS) 102.6 m²
— Falling Space 173.7 m²
Max Falling Height 2450 mm



1:125



















Groudmarks
















① 702286	PCS	② 707210	PCS
	1		4
65x65		118x118x503	
③ 707213	PCS	④ 708127	PCS
	2		2
118x118x1490		118x118x603	
⑤ 708137	PCS	⑥ 708721	PCS
	2		1
118x118x745		15x745x1766	
⑦ 708725	PCS	⑧ 708726	PCS
	1		1
15x603x745		15x745x745	
⑨ 708834	PCS	⑩ 708835	PCS
	1		1
15x745x470		15x745x612	
⑪ 708857 JIG	PCS	⑫ 709204	PCS
	1		1
20x133x149		15x745x1495	
⑬ 900240	PCS	⑭ 903093	PCS
	32		8
Ø8x70		Ø8x90	
⑮ 905103	PCS	⑯ 905112	PCS
	8		8
PT-28/32-H		Ø22	











17	908698	PCS	18	910266	PCS	19	980114	PCS	20	980100	PCS	21	980123	PCS		PCS		PCS
		8			4			4			48			38				
	3x114x108			90x108x118			Ø4x20			Ø5x60			Ø7x60					
		PCS			PCS			PCS										

FOOT OPTIONS			
709261+		709262+	
910267	PCS	910567	PCS
SURFACE	4	CONCRETE	4
			
152x200x200		117x117x715	

----- Falling Space 16.1 m2
Max Falling Height 920 mm




DET 1 	DET 2  Ø5x60 980100 (USE DRILL JIG) Ø8x70 900240	DET 3  Ø8x70 900240 (USE DRILL JIG) Ø22 905112 Ø8x90 903093 PT-28/32-H 905103
DET 4  Ø7x60 980123	DET 5  Ø7x60 980123	DET 6  Ø7x60 980123
DET 7  SRL12 903533 Ø7x60 980123		











JIG DET A (USE DET 2-3)




NOTE:



Use drill jig 708857
to predrill Ø5▽50
holes for 910266
and 908698







① 707210	PCS	② 707517	PCS
	4		4
118x118x503		118x118x1892	
③ 708346	PCS	④ 708836	PCS
	4		2
118x118x1736		15x745x1736	
⑤ 708837	PCS	⑥ 708839	PCS
	1		1
15x745x2168		15x745x1897	
⑦ 708857 JIG	PCS	⑧ 911288 COLOR	PCS
	1		2
20x133x149		15x745x1465	
⑨ 911289 COLOR	PCS	⑩ 980114	PCS
	1		4
15x745x1897		Ø4x20	
⑪ 900240	PCS	⑫ 903093	PCS
	64		16
Ø8x70		Ø8x90	
⑬ 905103	PCS	⑭ 905112	PCS
	8		16
PT-28/32-H		Ø22	
⑮ 908371	PCS	⑯ 908698	PCS
	8		8
42-38/40		3x114x108	





17	910056	PCS	18	910266	PCS	19	980100	PCS	20	980123	PCS	21	702286	PCS		PCS		PCS
		4			8			48			65			1				
140x690			90x108x118			Ø5x60			Ø7x60			65x65						


FOOT OPTIONS

709261+	709262+
910330 SURFACE	910567 CONCRETE
	
152x200x200	117x117x715


- EN Impact Attenuating Surface (IAS) 21.9 m2
- Falling Space 21.9 m2
- Max Falling Height 1910 mm




DET 1




DET 2




DET 3




DET 4




DET 5




DET 6



DET 7







DET 8



DET 9

DRILL PREHOLES BEFORE INSTALLING HANDLES







JIG DET A (USE DET 2-3)


NOTE:







Use drill jig 708857 to predrill $\varnothing 5 \nabla 50$ holes for 910266 and 908698







JIG DET B (USE DET 9)





① 702341  90x50	PCS 1	② 707213  118x118x1490	PCS 8
③ 707517  118x118x1892	PCS 8	④ 708137  118x118x745	PCS 4
⑤ 708836  15x745x1736	PCS 4	⑥ 708837  15x745x2168	PCS 4
⑦ 708839  15x745x1897	PCS 2	⑧ 708840  15x148x2018	PCS 4
⑨ 708841  15x148x1616	PCS 4	⑩ 708857 JIG  20x133x149	PCS 1
⑪ 911288 COLOR  15x745x1465	PCS 4	⑫ 911289 COLOR  15x745x1897	PCS 2
⑬ 910056  140x690	PCS 2	⑭ 980123  Ø7x60	PCS 216
⑮ 900240  Ø8x70	PCS 128	⑯ 903093  Ø8x90	PCS 72




17 905103 PCS 24  PT-28/32-H	18 905112 PCS 64  Ø22	19 910266 PCS 32  90x108x118	20 709110 PCS 4  118x118x745	21 905086 PCS 8  Ø44/13.5 x 3.9	22 908371 PCS 4  42-38/40
23 909132 PCS 4  M12x280	24 909248 PCS 4  M12	FOOT OPTIONS 710175+ 710176+ 911817 PCS 4  250x200x200 911820 PCS 4  803x117x117			

— EN Impact Attenuating Surface (IAS) 28.1 m2
 - - - Falling Space 28.1 m2
 Max Falling Height 1910 mm


1:50

0 2




DET 1


FIRST FLOOR



NOTE:
Use drill jig 708857
to predrill Ø5▽50
holes for 910266




DET 2



DET 3


Install this once you have installed
second floor on top of it !




Install this once you have installed
second floor on top of it !

DET 4


SECOND FLOOR




NOTE:
Use drill jig 708857
to predrill Ø5▽50
holes for 910266



DET 5




DET 6




DET 7


Install all plates







DET 8












DET 9






① 707210 118x118x503	PCS 8	② 707213 118x118x1490	PCS 4
③ 708042 118x118x1185	PCS 2	④ 708125 118x118x1326	PCS 2
⑤ 708522 118x118x2139	PCS 2	⑥ 708688 118x118x2279	PCS 2
⑦ 708721 15x745x1766	PCS 2	⑧ 708722 15x745x2280	PCS 1
⑨ 708723 15x745x1185	PCS 1	⑩ 708724 15x745x1326	PCS 1
⑪ 708857 JIG 20x133x149	PCS 1	⑫ 900240 Ø8x70	PCS 100
⑬ 903093 Ø8x90	PCS 16	⑭ 903533 SRL12	PCS 6
⑮ 905103 PT-28/32-H	PCS 16	⑯ 905112 Ø22	PCS 16


17 908371 PCS 6  42-38/40	18 908698 PCS 16  3x114x108	19 910056 PCS 3  140x690	20 910266 PCS 8  90x108x118	21 702286 PCS 1  65x65	22 910328 PCS 3  L 1466
23 980100 PCS 96  Ø5x60	24 980123 PCS 106  Ø7x60	25 911297 MURAL PCS 1  12x745x2140	26 911293 COLOR PCS 1  15x745x2145	27 911295 COLOR PCS 1  15x745x2004	28 911301 COLOR PCS 1  15x745x1495
29 911103 COLOR PCS 1  15x745x1495	30 911305 COLOR PCS 1  15x745x1192	31 911307 COLOR PCS 1  15x745x1050	32 905086 PCS 2  Ø44/13.5x3.9	33 909132 PCS 1  M12x280	34 909248 PCS 1  M12
35 980114 PCS 4  Ø4x20	FOOT OPTIONS 709261+ 709262+ 910267 SURFACE PCS 8  152x200x200 910567 CONCRETE PCS 8  117x117x715				




- EN Impact Attenuating Surface (IAS) 27.6 m2
- - - Falling Space 27.6 m2
- Max Falling Height 2450 mm




DET 1




DET 2




DET 3




DET 4




DET 5




DET 6




DET 7




DET 8




DET 9 DRILL PREHOLES
Ø6mm BEFORE
INSTALLING HANDLES




DET 10



DET 11 DRILL PREHOLES BEFORE INSTALLING HANDLES







JIG DET A (USE DET 2-3)


NOTE:

Use drill jig 708857 to predrill $\varnothing 5 \nabla 50$ holes for 910266 and 908698








JIG DET B (USE DET 11)






DET 12






① 702341	PCS	② 704879	PCS
	1		14
90x50		3x30x120mm	
③ 708880	PCS	④ 980151	PCS
	14		12
Ø77x20		Ø16/8.4	
⑤ 904133	PCS	⑥ 909258	PCS
	28		12
M10x80		M8x55	
⑦ 909633	PCS	⑧ 910547	PCS
	12		4
M8		Ø42.4x1200	
⑨ 910549	PCS	⑩ 910556	PCS
	6		6
Ø42.4x286x2042		L 2400	
⑪ 910557	PCS	⑫ 910563	PCS
	14		2
10x45x87		L 2100	
⑬ 910564	PCS	⑭ 910565	PCS
	4		2
L 1100		L 1400	
⑮ 910704	PCS		
	2		
		Ø42.4x2600	



—— EN Impact Attenuating Surface (IAS) 48.8 m2

----- Falling Space 48.8 m2

Max Falling Height 2410 mm





INSTALLING FOR
SURFACE MOUNTING



○ 709396	PCS
	14

FOOT OPTION FOR
DEEP MOUNTING

○ 709397+	PCS
○ 910562	14
L 600	








① 702341	PCS	② 709381	PCS
	1		2
90x50		SURFACE	
		③ 910219	PCS
			1
		120x120x200	

FOOT OPTION FOR
DEEP MOUNTING



709379+	
○ 902564	PCS
	1
L 550	





----- Falling Space 8.2 m2
Max Falling Height 200 mm



Shadow lines








① 702341	PCS	② 709381	PCS
	1		2
90x50		SURFACE	
		③ 910220	PCS
			1
		300x470x662	


FOOT OPTION FOR DEEP MOUNTING



709379+	
○ 902564	PCS
	2
L 550	



----- Falling Space 10.8 m2
Max Falling Height 300 mm









① 702341	PCS	② 900965	PCS
	1		1
 90x50		 M10	
③ 903533	PCS	④ 904133	PCS
	4		1
 SRL12		 M10x80	
⑤ 908069	PCS	⑥ 909111	PCS
	1		1
 Ø60x87.6		 M12x100	
⑦ 909248	PCS	⑧ 909638	PCS
	1		4
 M12		 Ø20/10.5	
⑨ 910254	PCS	⑩ 910262	PCS
	1		1
 Ø60x650x1290		 Ø60x435x795	
⑪ 980154	PCS		PCS
	1		
 Ø24/13			


FOOT OPTION FOR
DEEP MOUNTING




709379+	
○ 902564	PCS
	3
L 550	





----- Falling Space 13.1 m2
Max Falling Height 650 mm











① 702341	PCS	② 900965	PCS
 90x50	1	 M10	1
③ 903533	PCS	④ 904133	PCS
 SRL12	4	 M10x80	1
⑤ 908069	PCS	⑥ 909111	PCS
 Ø60x87.6	1	 M12x100	1
⑦ 909248	PCS	⑧ 909638	PCS
 M12	1	 Ø20/10.5	4
⑨ 910255	PCS	⑩ 910262	PCS
 Ø60x950x2290	1	 Ø60x435x795	1
⑪ 980154	PCS		PCS
 Ø24/13	1		




----- Falling Space 16.2 m2
Max Falling Height 950 mm







① 900965	PCS	② 903533	PCS
	4		8
M10		SRL12	
③ 904133	PCS	④ 909638	PCS
	4		8
M10x80		Ø20/10.5	
⑤ 910052	PCS	⑥ 910054	PCS
	2		1
53x53x120		390x780x2282	
⑦ 910055	PCS	⑧ 702341	PCS
	1		1
390x780x2282		90x50	





	PCS		PCS
	PCS		PCS


DET 1














----- Falling Space 22 m2
Max Falling Height 390 mm






① 702286	PCS	② 707210	PCS
	1		2
65x65		118x118x503	
③ 707212	PCS	④ 708347	PCS
	1		1
118x118x1254		118x118x231	
⑤ 708443	PCS	⑥ 708727	PCS
	2		1
118x118x352		15x346x745	
⑦ 708730	PCS	⑧ 708733	PCS
	1		1
15x346x745		15x148x745	
⑨ 708734	PCS	⑩ 708857 JIG	PCS
	1		1
15x118x1365		20x133x149	
⑪ 910266	PCS	⑫ 900240	PCS
	2		16
90x108x118		Ø8x70	
⑬ 903093	PCS	⑭ 905103	PCS
	4		2
Ø8x90		PT-28/32-H	
⑮ 905112	PCS	⑯ 908698	PCS
	4		4
Ø22		3x114x108	




INSTALLATION OF A SECOND HAND






17	980100	PCS	18	980114	PCS	19	980123	PCS
		28			4			25
								
Ø5x60			Ø4x20			Ø7x60		


FOOT OPTIONS

709261+		709262+	
910267	PCS	910567	PCS
SURFACE	3	CONCRETE	3
			
152x200x200		117x117x715	

----- Falling Space 13.8 m2
Max Falling Height 530 mm







JIG DET A (USE DET 2-4)

NOTE:


Use drill jig 708857
to predrill Ø5 ∇ 50
holes for 910266
and 908698


708857










910266


908698

Ø5 ∇ 50






① 702286	PCS	② 707210	PCS
	1		2
65x65		118x118x503	
③ 707212	PCS	④ 707889	PCS
	1		2
118x118x1254		118x118x472	
⑤ 708443	PCS	⑥ 708733	PCS
	1		1
118x118x352		15x148x745	
⑦ 708734	PCS	⑧ 708857 JIG	PCS
	1		1
15x118x1365		20x133x149	
⑨ 708731	PCS	⑩ 900240	PCS
	1		16
15x466x745		Ø8x70	
⑪ 903093	PCS	⑫ 905103	PCS
	4		2
Ø8x90		PT-28/32-H	
⑬ 905112	PCS	⑭ 908698	PCS
	4		4
Ø22		3x114x108	
⑮ 910266	PCS	⑯ 708732	PCS
	2		1
90x108x118		15x466x745	




INSTALLATION OF A SECOND HAND






17	980100	PCS	18	980114	PCS	19	980123	PCS
		28			4			25
								
Ø5x60			Ø4x20			Ø7x60		







FOOT OPTIONS

709261+		709262+	
○ 910267	PCS	○ 910567	PCS
SURFACE	3	CONCRETE	3
			
152x200x200		117x117x715	

----- Falling Space 13.8 m2
Max Falling Height 650 mm





DET 1 	DET 2  Ø8x70 900240 (USE DRILL JIG)	DET 3  Ø22 905112 Ø8x90 903093 PT-28/32-H 905103
DET 4  Ø5x60 980100 (USE DRILL JIG) Ø8x70 900240	DET 5  Ø7x60 980123	DET 6  Ø7x60 980123

JIG DET A (USE DET 2-4)

NOTE:


Use drill jig 708857
to predrill Ø5 ∇ 50
holes for 910266
and 908698



708857

910266


908698







Ø5 ∇ 50







INSTALLATION OF A SECOND HAND







① 702286	PCS	② 707213	PCS
	1		2
65x65		118x118x1490	
③ 707517	PCS	④ 708137	PCS
	2		3
118x118x1892		118x118x745	
⑤ 708715	PCS	⑥ 708716	PCS
	1		1
15x745x2140		15x745x1753	
⑦ 708737	PCS	⑧ 708738	PCS
	1		1
15x148x1601		15x148x2153	
⑨ 708857 JIG	PCS	⑩ 911309 COLOR	PCS
	1		1
20x133x149		12x745x2015	
⑪ 911311 MURAL	PCS	⑫ 900240	PCS
	1		32
12x745x1610		Ø8x70	
⑬ 903093	PCS	⑭ 905103	PCS
	16		8
Ø8x90		PT-28/32-H	
⑮ 910266	PCS	⑯ 980123	PCS
	8		56
90x108x118		Ø7x60	
		⑰ 980114	PCS
			4
		Ø4x20	

FOOT OPTIONS


709261+		709262+	
☐ 910330	PCS	☐ 910567	PCS
SURFACE	3	CONCRETE	3
			
152x200x200		117x117x715	

----- Falling Space 18.8 m2
Max Falling Height 920 mm







DET 1




DET 2




DET 3



DET 4






DET 5




JIG DET A (USE DET 2)






NOTE:
Use drill jig 708857
to predrill Ø5▽50
holes for 910266







INSTALLATION OF A SECOND HAND




① 702286	PCS	② 707213	PCS
	1		2
65x65		118x118x1490	
③ 707517	PCS	④ 708137	PCS
	2		3
118x118x1892		118x118x745	
⑤ 708715	PCS	⑥ 708716	PCS
	1		1
15x745x2140		15x745x1753	
⑦ 708737	PCS	⑧ 708738	PCS
	1		1
15x148x1601		15x148x2153	
⑨ 708857	PCS	⑩ 911309	PCS
JIG	1	COLOR	1
			
20x133x149		12x745x2015	
⑪ 911311	PCS	⑫ 900240	PCS
MURAL	1		32
			
12x745x1610		Ø8x70	
⑬ 903093	PCS	⑭ 905103	PCS
	28		8
Ø8x90		PT-28/32-H	
⑮ 905112	PCS	⑯ 910266	PCS
	16		8
Ø22		90x108x118	
			54
		Ø7x60	


18	900965	PCS	1	19	903533	PCS	4	20	904133	PCS	1	21	908069	PCS	1	22	909111	PCS	1	23	909248	PCS	1	24	980114	PCS	4
																											
M10				SRL12				M10x80				Ø60x87.6				M12x100				M12				Ø4x20			


25	909638	PCS	4	26	910254	PCS	1	27	910262	PCS	1	28	980154	PCS	1	FOOT OPTIONS									
																709261+ 709262+									
																☐ 910330 SURFACE ☐ 910567 CONCRETE									
																 152x200x200  117x117x715									
Ø20/10.5				Ø60x650x1290				Ø60x435x795				Ø24/13													

----- Falling Space 18.8 m²
Max Falling Height 1570 mm


1:50
0 2









DET 1




DET 2




DET 3




DET 4




DET 5



DET 6









DET 7



JIG DET A (USE DET 2)

NOTE:
Use drill jig 708857
to predrill Ø5 ∇ 50
holes for 910266



													
$h < 1600$	Totally hard surfaces or materials with very limited impact attenuating properties. Case by case risk assessment is needed including e.g. evaluation whether there is forced movement, what is the intended exercise and where will the product be installed. Materials with significant impact attenuating properties. Totally hard surfaces. E.g. concrete or asphalt  Materials with very limited impact attenuating properties. E.g. wood  fine gravel 0–8 mm  Unsorted sand/ topsoil  Lawn 												
$h = 1600-$ $h < 3000$	Loose fill material E.g. sand/gravel 0,25...8 mm D60/D10<3,0 Woodchips 5...30 mm bark 20...80 mm  $\underline{S}$ 30 cm $\underline{h}$ < 3,0 m Syntethic granulates <table><tr><td>$\underline{S}$</td><td>$\underline{h}$</td></tr><tr><td>40 mm ~></td><td>1,6...~< 1,8 m</td></tr><tr><td>50 mm ~></td><td>1,8...~< 2,25 m</td></tr><tr><td>55 mm ~></td><td>2,25...~< 2,4 m</td></tr><tr><td>60 mm ~></td><td>2,4...~< 2,55 m</td></tr><tr><td>70 mm ~></td><td>2,55...~< 3,0 m</td></tr></table> Note. For accurate values, see manufacturer's instructions. 	$\underline{S}$	$\underline{h}$	40 mm ~>	1,6...~< 1,8 m	50 mm ~>	1,8...~< 2,25 m	55 mm ~>	2,25...~< 2,4 m	60 mm ~>	2,4...~< 2,55 m	70 mm ~>	2,55...~< 3,0 m
$\underline{S}$	$\underline{h}$												
40 mm ~>	1,6...~< 1,8 m												
50 mm ~>	1,8...~< 2,25 m												
55 mm ~>	2,25...~< 2,4 m												
60 mm ~>	2,4...~< 2,55 m												
70 mm ~>	2,55...~< 3,0 m												