


LAPPSET®

DASH PARKOUR






ASENNUSOHJE
MONTERINGSANSVISNING
INSTALLATION INSTRUCTION
AUFBAUANLEITUNG
NOTICE D'INSTALLATION


DATE: 16.12.2019

081766M




DATE: 16.12.2019

081702M	PCS	081730M	PCS	081732M	PCS	081740M	PCS	081744M	PCS		PCS
	1		1		1		1		1		
											
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS







PRIMARY RULE:







RED LINES TOGETHER



AREA BOUNDARY





























① 702341	PCS	② 708109	PCS
	1		2
			
90x50		118x118x697	
③ 708443	PCS	④ 708848	PCS
	2		2
			
118x118x352		18x450x690	
⑤ 708849	PCS	⑥ 712969	PCS
	2		2
			
18x450x690		16x450x690	
⑦ 712670	PCS	⑧ 712671	PCS
	1		1
			
16x300x1005		16x500x1005	
⑨ 712669	PCS	⑩ 712672	PCS
	1		1
			
16x112x1005		16x425x1005	
⑪ 708855	PCS	⑫ 900240	PCS
	8		8
			
45x45x975		Ø8x70	
⑬ 903093	PCS	⑭ 908371	PCS
	4		2
			
Ø8x90		42-38/40	
⑮ 908698	PCS	⑯ 910056	PCS
	4		1
			
3x114x108		140x690	
⑰ 980100	PCS	⑱ 980104	PCS
	24		32
			
Ø5x60		Ø5x90	
⑲ 980123	PCS	⑳ 980128	PCS
	27		14
			
Ø7x60		Ø7x40	








709261+	709262+
○ 910330	○ 910567
SURFACE	CONCRETE
	
152x200x200	117x117x715





----- Falling Space 13 m²
Max Falling Height 660 mm






① 702286	PCS	② 707210	PCS
	1		4
65x65		118x118x503	
③ 707213	PCS	④ 708127	PCS
	2		2
118x118x1490		118x118x603	
⑤ 708137	PCS	⑥ 713176	PCS
	2		1
118x118x745		16x745x1766	
⑦ 712608	PCS	⑧ 712607	PCS
	1		1
16x603x745		16x745x745	
⑨ 708834	PCS	⑩ 708835	PCS
	1		1
16x745x469		16x745x611	
⑪ 708857 JIG	PCS	⑫ 709204	PCS
	1		1
20x133x149		15x745x1495	
⑬ 900240	PCS	⑭ 903093	PCS
	32		8
Ø8x70		Ø8x90	
⑮ 905103	PCS	⑯ 905112	PCS
	8		8
PT-28/32-H		Ø22	












(17) 908698	PCS	(18) 910266	PCS	(19) 980114	PCS	(20) 980100	PCS	(21) 980123	PCS		PCS		PCS
	8		4		4		48		38				
3x114x108		90x108x118		Ø4x20		Ø5x60		Ø7x60					
	PCS		PCS		PCS								


FOOT OPTIONS

709261+		709262+	
○ 910267	PCS	○ 910567	PCS
SURFACE	4	CONCRETE	4
			
152x200x200		117x117x715	

----- Falling Space 16.1 m2
Max Falling Height 920 mm




DET 1 	DET 2  Ø5x60 980100 (USE DRILL JIG) Ø8x70 900240	DET 3  Ø8x70 900240 (USE DRILL JIG) Ø22 905112 Ø8x90 903093 PT-28/32-H 905103
DET 4  Ø7x60 980123	DET 5  Ø7x60 980123	DET 6  Ø7x60 980123
DET 7  SRL12 903533 Ø7x60 980123		





JIG DET A (USE DET 2-3)

NOTE:

Use drill jig 708857
to predrill Ø5▽50
holes for 910266
and 908698















----- Falling Space 19.7 m2
Max Falling Height 1250 mm



1:75






① 702341	PCS	② 712657	PCS
	1		2
90x50		16x1200x1486	
③ 712658	PCS	④ 712659	PCS
	2		2
16x1486x2174		16x1170x2170	
⑤ 712660	PCS	⑥ 712661	PCS
	2		2
16x1376x1486		16x1170x1620	
⑦ 709164	PCS	⑧ 709165	PCS
	4		4
18x80x1135		18x80x1420	
⑨ 902233	PCS	⑩ 905112	PCS
	48		48
M10x30		Ø22	
⑪ 909637	PCS	⑫ 909638	PCS
	48		96
M10		Ø20/10.5	
⑬ 909876	PCS	⑭ 910744	PCS
	96		2
M8x40		154x1160x1445	




⑮ 910768	PCS	⑯ 910769	PCS	⑰ 910793	PCS	⑱ 910794	PCS	⑲ 910795	PCS	⑳ 910796	PCS
	4		4		2		2		2		2
30x60x1349		30x60x1504		L 2158		L 1425		L 1646		L 884	


②1	980108	PCS	②2	980128	PCS	②3	980150	PCS	②4	980151	PCS
		8			29			96			96
	Ø4x25			Ø7x40			M8			Ø16/8.4	


FOOT OPTION

709387+			
○ 709386	PCS	○ 910567	PCS
SURFACE	2	CONCRETE	8
			
M16x170		117x117x715	


—— EN Impact Attenuating Surface (IAS) 34.5 m2
----- Falling Space 34.5 m2
Max Falling Height 1740 mm






















JOINING TOGETHER






① 707210	PCS 4	② 707213	PCS 2
			
118x118x503		118x118x1490	
③ 708522	PCS 2	④ 708688	PCS 2
			
118x118x2139		118x118x2279	
⑤ 712612	PCS 1	⑥ 712611	PCS 1
			
16x745x1766		16x745x2280	
⑦ 708857 JIG	PCS 1	⑧ 911297 MURAL	PCS 1
			
20x133x149		12x745x2140	
⑨ 911293 COLOR	PCS 1	⑩ 911295 COLOR	PCS 1
			
15x745x2145		15x745x2004	
⑪ 911301 COLOR	PCS 1	⑫ 900240	PCS 56
			
15x745x1495		Ø8x70	
⑬ 903093	PCS 8	⑭ 905103	PCS 8
			
Ø8x90		PT-28/32-H	
⑮ 905112	PCS 8	⑯ 908371	PCS 4
			
Ø22		42-38/40	




17	908698	PCS	18	910056	PCS	19	910266	PCS	20	910328	PCS	21	980100	PCS	22	980123	PCS		PCS
		8			2			4			2			48			56		
	3x114x108			140x690			90x108x118			L 1466			Ø5x60			Ø7x60			
23	702286	PCS	24	980114	PCS	FOOT OPTIONS													
		1			4	709261+				709262+									
	65x65			Ø4x20		910267				910567									
						SURFACE				CONCRETE									
																			
						152x200x200				117x117x715									

—— EN Impact Attenuating Surface (IAS) 26.3 m2
 ---- Falling Space 26.3 m2
 Max Falling Height 2450 mm


1:50
 0 2




DET 1




DET 2




DET 3




DET 4




DET 5




DET 6




DET 7




DET 8




DET 9



DET 10 DRILL PREHOLES BEFORE INSTALLING HANDLES





JIG DET A (USE DET 2-3)

NOTE:

Use drill jig 708857 to predrill $\text{Ø}5 \nabla 50$ holes for 910266 and 908698

708857

910266

908698

$\text{Ø}5 \nabla 50$

JIG DET B (USE DET 9, 10)

Plywood

Frame






708857

910056

$\text{Ø}8 \times 70$

(900240)

$\text{Ø}8 \nabla 15$

											
h < 1600	Totally hard surfaces or materials with very limited impact attenuating properties.  Case by case risk assessment is needed including e.g. evaluation whether there is forced movement, what is the intended exercise and where will the product be installed. Materials with significant impact attenuating properties.  fine gravel 0–8 mm  Unsorted sand/ topsoil  Lawn 										
h = 1600- h < 3000	Loose fill material E.g. sand/gravel 0,25...8 mm D60/D10<3,0 Woodchips 5...30 mm bark 20...80 mm  $\frac{S}{30 \text{ cm}}$ $\frac{h}{< 3,0 \text{ m}}$ Syntethic granulates <table><tr><td>$\frac{S}{40 \text{ mm}}$</td><td>$\sim > 1,6... \sim < 1,8 \text{ m}$</td></tr><tr><td>$\frac{S}{50 \text{ mm}}$</td><td>$\sim > 1,8... \sim < 2,25 \text{ m}$</td></tr><tr><td>$\frac{S}{55 \text{ mm}}$</td><td>$\sim > 2,25... \sim < 2,4 \text{ m}$</td></tr><tr><td>$\frac{S}{60 \text{ mm}}$</td><td>$\sim > 2,4... \sim < 2,55 \text{ m}$</td></tr><tr><td>$\frac{S}{70 \text{ mm}}$</td><td>$\sim > 2,55... \sim < 3,0 \text{ m}$</td></tr></table> Note. For accurate values, see manufacturer's instructions. 	$\frac{S}{40 \text{ mm}}$	$\sim > 1,6... \sim < 1,8 \text{ m}$	$\frac{S}{50 \text{ mm}}$	$\sim > 1,8... \sim < 2,25 \text{ m}$	$\frac{S}{55 \text{ mm}}$	$\sim > 2,25... \sim < 2,4 \text{ m}$	$\frac{S}{60 \text{ mm}}$	$\sim > 2,4... \sim < 2,55 \text{ m}$	$\frac{S}{70 \text{ mm}}$	$\sim > 2,55... \sim < 3,0 \text{ m}$
$\frac{S}{40 \text{ mm}}$	$\sim > 1,6... \sim < 1,8 \text{ m}$										
$\frac{S}{50 \text{ mm}}$	$\sim > 1,8... \sim < 2,25 \text{ m}$										
$\frac{S}{55 \text{ mm}}$	$\sim > 2,25... \sim < 2,4 \text{ m}$										
$\frac{S}{60 \text{ mm}}$	$\sim > 2,4... \sim < 2,55 \text{ m}$										
$\frac{S}{70 \text{ mm}}$	$\sim > 2,55... \sim < 3,0 \text{ m}$										