


LAPPSET®

DASH PARKOUR

ASENNUSOHJE
MONTERINGSANSVISNING
INSTALLATION INSTRUCTION
AUFBAUANLEITUNG
NOTICE D'INSTALLATION


DATE: 13.11.2019




081783M







Copyright Lappset Group Ltd



[illegible]












Groudmarks













① 702286	PCS	② 707213	PCS
	1		1
65x65		118x118x1490	
③ 707517	PCS	④ 708137	PCS
	2		3
118x118x1892		118x118x745	
⑤ 708715	PCS	⑥ 708840	PCS
	1		1
15x745x2140		15x148x2018	
⑦ 708845	PCS	⑧ 708846	PCS
	1		1
15x745x2138		15x118x1751	
⑨ 708857	PCS	⑩ 980154	PCS
	1		1
20x133x149		Ø24/13	
⑪ 900240	PCS	⑫ 900965	PCS
	24		1
Ø8x70		M10	
⑬ 903093	PCS	⑭ 903533	PCS
	24		4
Ø8x90		SRL12	
⑮ 904133	PCS	⑯ 905103	PCS
	1		6
M10x80		PT-28/32-H	


INSTALLATION OF A SECOND HAND





17	905112	PCS	12		Ø22
18	908069	PCS	1		Ø60x87.6
19	909111	PCS	1		M12x100
20	909248	PCS	1		M12
21	909638	PCS	4		Ø20/10.5
22	910254	PCS	1		Ø60x650x1290
23	910262	PCS	1		Ø60x435x795
24	910266	PCS	6		90x108x118
25	980123	PCS	37		Ø7x60
26	980114	PCS	4		Ø4x20


FOOT OPTIONS

709261+709262+

910330	PCS	3	SURFACE		152x200x200
910567	PCS	3	CONCRETE		117x117x715


----- Falling Space 18.8 m2
Max Falling Height 920 mm



















JIG DET A (USE DET 2)




NOTE:
Use drill jig 708857
to predrill $\varnothing 5 \nabla 50$
holes for 910266



DET 1 	DET 2  Ø8x70 900240 (USE DRILL JIG)	DET 3  Ø22 905112 Ø8x90 903093 PT-28/32-H 905103
DET 4  Ø7x60 980123	DET 5  Ø7x60 980123	DET 6  M12x100 909111 M10x80 904133 SRL12 903533 Ø24/13 980154 M12 909248 Ø20/10.5 909638 M10 900965
DET 7  Ø8x90 903093 PRE DRILL Ø6mm holes		





① 702341  90x50	PCS 1	② 707213  118x118x1490	PCS 4
③ 707517  118x118x1892	PCS 4	④ 708137  118x118x745	PCS 4
⑤ 708836  15x745x1736	PCS 2	⑥ 708837  15x745x2168	PCS 2
⑦ 708839  15x745x1897	PCS 1	⑧ 708840  15x148x2018	PCS 2
⑨ 708841  15x148x1616	PCS 2	⑩ 708857 JIG  20x133x149	PCS 1
⑪ 980154  Ø24/13	PCS 1	⑫ 900240  Ø8x70	PCS 64
⑬ 900965  M10	PCS 1	⑭ 903093  Ø8x90	PCS 44
⑮ 903533  SRL12	PCS 4	⑯ 904133  M10x80	PCS 1

17	905103	PCS	16	18	905112	PCS	32	19	908069	PCS	1	20	909111	PCS	1	21	909248	PCS	1	22	909638	PCS	4
																							
	PT-28/32-H				Ø22				Ø60x87.6				M12x100				M12				Ø20/10.5		
23	910254	PCS	1	24	910262	PCS	1	25	910266	PCS	16	26	980123	PCS	108	27	911288 COLOR	PCS	2	28	911289 COLOR	PCS	1
																							
	Ø60x650x1290				Ø60x435x795				90x108x118				Ø7x60		26		15x745x1465				15x745x1897		
		PCS				PCS				PCS				PCS									


FOOT OPTIONS

709261+


709262+

910330 SURFACE	PCS	4	910567 CONCRETE	PCS	4
					
152x200x200			117x117x715		


----- Falling Space 22.7 m²
Max Falling Height 1580 mm




DET 1




NOTE:
Use drill jig 708857
to predrill Ø5▽50
holes for 910266




DET 2




DET 3




DET 4



DET 5








① 702341	PCS	② 709381	PCS
	1		2

FOOT OPTION FOR
DEEP MOUNTING



709379+	
○ 902564	PCS
	1
L 550	





----- Falling Space 8.2 m2
Max Falling Height 200 mm



Shadow lines








① 702341	PCS	② 709381	PCS
	1		2
90x50		SURFACE	
		③ 910220	PCS
			1
		300x470x662	















FOOT OPTION FOR DEEP MOUNTING


709379+	
○ 902564	PCS
	2
L 550	







----- Falling Space 10.8 m2
Max Falling Height 300 mm





		① 702341  90x50 PCS 1	② 708109  118x118x697 PCS 2
		③ 708443  118x118x352 PCS 2	④ 708848  18x450x690 PCS 2
		⑤ 708849  18x450x690 PCS 2	⑥ 708850  15x450x690 PCS 2
		⑦ 708851  15x300x1005 PCS 1	⑧ 708852  15x500x1005 PCS 1
		⑨ 708853  15x112x1005 PCS 1	⑩ 708854  15x425x1005 PCS 1
		⑪ 708855  45x45x975 PCS 8	⑫ 900240  Ø8x70 PCS 8
		⑬ 903093  Ø8x90 PCS 4	⑭ 908371  42-38/40 PCS 2
DET 1 		⑮ 908698  3x114x108 PCS 4	⑯ 910056  140x690 PCS 1
		⑰ 980100  Ø5x60 PCS 24	⑱ 980104  Ø5x90 PCS 32
		⑲ 980123  Ø7x60 PCS 27	⑳ 980128  Ø7x40 PCS 14

709261+		709262+	
○ 910330	PCS	○ 910567	PCS
SURFACE	2	CONCRETE	2
			
152x200x200		117x117x715	







----- Falling Space 13 m2
Max Falling Height 660 mm








----- Falling Space 16.3 m2
Max Falling Height 270 mm









① 702341	PCS	② 910253	PCS
	1		1
90x50		Ø60x376x2290	
③ 903533	PCS		PCS
	4		
SRL12			


----- Falling Space 14.2 m2
Max Falling Height 380 mm








DET 1







OPTION LEFT-HANDED





① 702341  90x50	PCS 1	② 900965  M10	PCS 1
③ 903533  SRL12	PCS 4	④ 904133  M10x80	PCS 1
⑤ 908069  Ø60x87.6	PCS 1	⑥ 909111  M12x100	PCS 1
⑦ 909248  M12	PCS 1	⑧ 909638  Ø20/10.5	PCS 4
⑨ 910255  Ø60x950x2290	PCS 1	⑩ 910262  Ø60x435x795	PCS 1
⑪ 980154  Ø24/13	PCS 1		PCS







DET 1




----- Falling Space 16.2 m2
Max Falling Height 950 mm







① 900965	PCS	② 903533	PCS
	4		8
M10		SRL12	
③ 904133	PCS	④ 909638	PCS
	4		8
M10x80		Ø20/10.5	
⑤ 910052	PCS	⑥ 910054	PCS
	2		1
53x53x120		390x780x2282	
⑦ 910055	PCS	⑧ 702341	PCS
	1		1
390x780x2282		90x50	





	PCS		PCS
	PCS		PCS


DET 1














----- Falling Space 22 m2
Max Falling Height 390 mm






① 702286	PCS	② 707210	PCS
	1		2
65x65		118x118x503	
③ 707212	PCS	④ 708347	PCS
	1		1
118x118x1254		118x118x231	
⑤ 708443	PCS	⑥ 708727	PCS
	2		1
118x118x352		15x346x745	
⑦ 708730	PCS	⑧ 708733	PCS
	1		1
15x346x745		15x148x745	
⑨ 708734	PCS	⑩ 708857 JIG	PCS
	1		1
15x118x1365		20x133x149	
⑪ 910266	PCS	⑫ 900240	PCS
	2		16
90x108x118		Ø8x70	
⑬ 903093	PCS	⑭ 905103	PCS
	4		2
Ø8x90		PT-28/32-H	
⑮ 905112	PCS	⑯ 908698	PCS
	4		4
Ø22		3x114x108	




INSTALLATION OF A SECOND HAND






17	980100	PCS	18	980114	PCS	19	980123	PCS
		28			4			25
								
Ø5x60			Ø4x20			Ø7x60		







FOOT OPTIONS

709261+		709262+	
910267	PCS	910567	PCS
SURFACE	3	CONCRETE	3
			
152x200x200		117x117x715	

----- Falling Space 13.8 m2
Max Falling Height 530 mm





DET 1 	DET 2  Ø8x70 900240 (USE DRILL JIG)	DET 3  Ø22 905112 Ø8x90 903093 PT-28/32-H 905103
DET 4  Ø5x60 980100 (USE DRILL JIG) Ø8x70 900240	DET 5  Ø7x60 980123	 Ø7x60 980123

JIG DET A (USE DET 2-4)

NOTE:


Use drill jig 708857
to predrill Ø5 ∇ 50
holes for 910266
and 908698




708857









910266

908698

Ø5 ∇ 50








① 702286	PCS	② 707210	PCS
	1		2
65x65		118x118x503	
③ 707212	PCS	④ 707889	PCS
	1		2
118x118x1254		118x118x472	
⑤ 708443	PCS	⑥ 708733	PCS
	1		1
118x118x352		15x148x745	
⑦ 708734	PCS	⑧ 708857 JIG	PCS
	1		1
15x118x1365		20x133x149	
⑨ 708731	PCS	⑩ 900240	PCS
	1		16
15x466x745		Ø8x70	
⑪ 903093	PCS	⑫ 905103	PCS
	4		2
Ø8x90		PT-28/32-H	
⑬ 905112	PCS	⑭ 908698	PCS
	4		4
Ø22		3x114x108	
⑮ 910266	PCS	⑯ 708732	PCS
	2		1
90x108x118		15x466x745	


17	980100	PCS	18	980114	PCS	19	980123	PCS
		28			4			25
								
Ø5x60			Ø4x20			Ø7x60		







FOOT OPTIONS

709261+		709262+	
○ 910267	PCS	○ 910567	PCS
SURFACE	3	CONCRETE	3
			
152x200x200		117x117x715	

----- Falling Space 13.8 m2
Max Falling Height 650 mm





DET 1 	DET 2  Ø8x70 900240 (USE DRILL JIG)	DET 3  Ø22 905112 Ø8x90 903093 PT-28/32-H 905103
DET 4  Ø5x60 980100 (USE DRILL JIG) Ø8x70 900240	DET 5  Ø7x60 980123	DET 6  Ø7x60 980123

JIG DET A (USE DET 2-4)

NOTE:


Use drill jig 708857
to predrill Ø5 ∇ 50
holes for 910266
and 908698






708857

910266

908698

Ø5 ∇ 50



											
h < 1600	Totally hard surfaces or materials with very limited impact attenuating properties.  Case by case risk assessment is needed including e.g. evaluation whether there is forced movement, what is the intended exercise and where will the product be installed. Materials with significant impact attenuating properties.  fine gravel 0–8 mm  Unsorted sand/ topsoil  Lawn 										
h = 1600- h < 3000	Loose fill material E.g. sand/gravel 0,25...8 mm D60/D10<3,0 Woodchips 5...30 mm bark 20...80 mm  $\frac{S}{30 \text{ cm}}$ $\frac{h}{< 3,0 \text{ m}}$ Syntethic granulates <table><tr><td>$\frac{S}{40 \text{ mm}}$</td><td>$\sim > 1,6... \sim < 1,8 \text{ m}$</td></tr><tr><td>$\frac{S}{50 \text{ mm}}$</td><td>$\sim > 1,8... \sim < 2,25 \text{ m}$</td></tr><tr><td>$\frac{S}{55 \text{ mm}}$</td><td>$\sim > 2,25... \sim < 2,4 \text{ m}$</td></tr><tr><td>$\frac{S}{60 \text{ mm}}$</td><td>$\sim > 2,4... \sim < 2,55 \text{ m}$</td></tr><tr><td>$\frac{S}{70 \text{ mm}}$</td><td>$\sim > 2,55... \sim < 3,0 \text{ m}$</td></tr></table> Note. For accurate values, see manufacturer's instructions. 	$\frac{S}{40 \text{ mm}}$	$\sim > 1,6... \sim < 1,8 \text{ m}$	$\frac{S}{50 \text{ mm}}$	$\sim > 1,8... \sim < 2,25 \text{ m}$	$\frac{S}{55 \text{ mm}}$	$\sim > 2,25... \sim < 2,4 \text{ m}$	$\frac{S}{60 \text{ mm}}$	$\sim > 2,4... \sim < 2,55 \text{ m}$	$\frac{S}{70 \text{ mm}}$	$\sim > 2,55... \sim < 3,0 \text{ m}$
$\frac{S}{40 \text{ mm}}$	$\sim > 1,6... \sim < 1,8 \text{ m}$										
$\frac{S}{50 \text{ mm}}$	$\sim > 1,8... \sim < 2,25 \text{ m}$										
$\frac{S}{55 \text{ mm}}$	$\sim > 2,25... \sim < 2,4 \text{ m}$										
$\frac{S}{60 \text{ mm}}$	$\sim > 2,4... \sim < 2,55 \text{ m}$										
$\frac{S}{70 \text{ mm}}$	$\sim > 2,55... \sim < 3,0 \text{ m}$										