




















702286  65x65	PCS 1	706444  93x93x3200	PCS 3	706481-704  83x83x10	PCS 9	706568  93x93x3000	PCS 3	706577  93x93x600	PCS 3	706887  45x290x1524	PCS 4
706889  L 1500	PCS 4	706891  45x145x724	PCS 4	706892  L 700	PCS 2	707273  45x290x2324	PCS 2	707282  L 2300	PCS 2	707374  L 1504	PCS 8
900240  Ø8x70	PCS 42	903093  Ø8x90	PCS 88	905051  Ø24/8.4	PCS 16	905066  S30H	PCS 16	909232  8x120	PCS 16	909519  50x380x380	PCS 6
980107  Ø6x60	PCS 18	980114  Ø4x20	PCS 4	980128  Ø7x40	PCS 32	P10563  L 2900	PCS 8	P15316 	PCS 4	P15980-704  10x598x3000	PCS 2
P17751-704  10x598x3000	PCS 2										
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS

Falling Space 37.6 m2
Max Falling Height 300 mm







Ensure that plate holes are align with the beams before final fixing. Pre-drill Ø5 mm holes through the roof plate holes to the roof beams.

